

Annex 3

Geochemistry – Multi-element analysis of anorthosite ore

Descriptive statistics

The company has purposefully screened c. 7% of all samples collected to uncover potential chemical hazards, including radiogenic complications. The complete geochemical sample characterisation has been obtained from combining a number of analytical methods; including whole rock analysis (ME-ICP06), trace elements by fusion (ME-MS81 & ME-MS42), aqua regia digestion for volatile trace elements (ME-4ACD81), carbon and sulphur by combustion analyse (ME-IR08), and (sample codes by ALS Minerals). The table below shows the average element values, including min/max extremes for the main geological component anorthosite characterised from 106 samples. Original certificates are provided overleaf.

ANORTHOSITE

ALS Code		Avg.	[Min - Max]		Avg.	[Min - Max]		Avg.	[Min - Max]	
ME-ICP06 [wt.%]	Al ₂ O ₃	31.79	27.75 - 33.97	K ₂ O	0.38	0.02 - 1.30	SiO ₂	47.52	43.88 - 54.08	
	BaO	0.01	0.01 - 0.03	MgO	0.74	0.08 - 3.88	SrO	0.01	0.01 - 0.03	
	CaO	16.25	11.85 - 22.40	MnO	0.02	0.01 - 0.05	TiO ₂	0.03	0.01 - 0.20	
	Cr ₂ O ₃	0.01	0.00 - 0.26	Na ₂ O	1.64	0.08 - 2.55	Total	100.82	98.65 - 102.00	
	Fe ₂ O ₃	1.26	0.66 - 3.20	P ₂ O ₅	0.03	0.01 - 1.74	LOI ₁₀₀₀	1.10	0.20 - 3.19	
ME-MS81 [ppm]	Ba	33.42	1.50 - 160.50	Ho	0.09	0.01 - 2.30	Tb	0.09	0.01 - 3.12	
	Ce	4.26	0.40 - 78.70	La	1.95	0.10 - 29.20	Th	0.59	0.05 - 7.57	
	Cr	51.14	5.00 - 1795.00	Lu	0.03	0.01 - 0.25	Tm	0.04	0.01 - 0.51	
	Cs	1.29	0.01 - 6.09	Nb	2.58	0.40 - 9.63	U	0.96	0.06 - 9.95	
	Dy	0.50	0.08 - 14.60	Nd	2.13	0.20 - 55.60	V	10.05	5.00 - 41.00	
	Er	0.22	0.04 - 4.43	Pr	0.53	0.04 - 11.90	W	1.10	0.50 - 8.90	
	Eu	0.22	0.11 - 0.76	Rb	26.75	0.70 - 99.50	Y	2.78	0.60 - 69.30	
	Ga	20.60	10.70 - 27.30	Sm	0.55	0.06 - 18.00	Yb	0.19	0.04 - 2.18	
	Gd	0.57	0.05 - 20.80	Sn	0.84	0.50 - 4.00	Zr	5.05	1.00 - 95.00	
	Ge	1.98	0.50 - 5.00	Sr	94.71	68.50 - 217.00				
	Hf	0.24	0.05 - 2.30	Ta	0.40	0.10 - 1.70				
	ME-MS42 [ppm]	As	0.20	0.10 - 2.80	In	0.01	0.01 - 0.01	Se	0.22	0.20 - 0.50
		Bi	0.02	0.01 - 0.24	Re	0.00	0.00 - 0.00	Te	0.01	0.01 - 0.02
Hg		0.01	0.01 - 0.02	Sb	0.05	0.05 - 0.06	Tl	0.08	0.02 - 0.52	
ME-4ACD81 [ppm]	Ag	0.50	0.50 - 0.50	Li	28.49	10.00 - 80.00	Sc	1.25	1.00 - 3.00	
	Cd	0.50	0.50 - 0.50	Mo	1.12	1.00 - 5.00	Zn	14.38	2.00 - 74.00	
	Co	4.38	1.00 - 22.00	Ni	22.00	2.00 - 160.00				
	Cu	13.56	1.00 - 68.00	Pb	2.34	2.00 - 6.00				
ME-IR08 [%]	C	0.02	0.01 - 0.13							
	S	0.02	0.01 - 0.14							
	Conductivity - OA-ELE04			pH - OA-ELE03			Acid Insoluble - OA-GRA04			
	[uS/cm]	56.12	30.00 - 76.00	[unity]	8.16	7.20 - 9.50	[%]	53.19	46.95 - 74.27	

Descriptive statistics

The company has purposefully screened c. 7% of all samples collected to uncover potential chemical hazards, including radiogenic complications. The complete geochemical sample characterisation has been obtained from combining a number of analytical methods; including whole rock analysis (ME-ICP06), trace elements by fusion (ME-MS81 & ME-MS42), aqua regia digestion for volatile trace elements (ME-4ACD81), carbon and sulphur by combustion analyse (ME-IR08), and (sample codes by ALS Minerals). The table below shows the average element values, including min/max extremes for the main geological component pegmatite characterised from 25 samples. Original certificates are provided overleaf.

PEGMATITE

ALS Code		Avg.	[Min - Max]		Avg.	[Min - Max]		Avg.	[Min - Max]	
ME-ICP06 [wt.%]	Al ₂ O ₃	27.04	13.96 - 32.41	K ₂ O	0.85	0.13 - 3.68	SiO ₂	55.12	44.69 - 77.08	
	BaO	0.01	0.01 - 0.03	MgO	0.54	0.10 - 1.27	SrO	0.01	0.01 - 0.01	
	CaO	12.55	2.49 - 18.60	MnO	0.03	0.01 - 0.06	TiO ₂	0.03	0.01 - 0.11	
	Cr ₂ O ₃	0.01	0.00 - 0.01	Na ₂ O	2.25	0.82 - 4.48	Total	100.67	98.74 - 101.80	
	Fe ₂ O ₃	1.10	0.47 - 1.80	P ₂ O ₅	0.01	0.01 - 0.03	LOI ₁₀₀₀	1.09	0.27 - 2.94	
ME-MS81 [ppm]	Ba	60.30	5.10 - 234.00	Ho	0.19	0.01 - 0.88	Tb	0.14	0.02 - 0.57	
	Ce	8.19	0.80 - 43.40	La	4.14	0.20 - 21.40	Th	1.98	0.05 - 14.90	
	Cr	16.84	7.00 - 40.00	Lu	0.10	0.01 - 0.51	Tm	0.10	0.01 - 0.42	
	Cs	1.25	0.18 - 2.85	Nb	3.97	0.45 - 16.45	U	2.15	0.29 - 10.50	
	Dy	0.97	0.12 - 4.11	Nd	3.32	0.40 - 16.30	V	8.04	5.00 - 19.00	
	Er	0.60	0.03 - 2.65	Pr	0.93	0.12 - 5.03	W	1.33	0.50 - 6.20	
	Eu	0.21	0.09 - 0.34	Rb	46.62	7.10 - 162.00	Y	6.51	0.60 - 31.80	
	Ga	21.32	14.60 - 28.80	Sm	0.76	0.10 - 3.03	Yb	0.70	0.04 - 3.56	
	Gd	0.76	0.13 - 2.39	Sn	0.81	0.50 - 1.20	Zr	20.24	1.00 - 99.00	
	Ge	2.18	0.50 - 5.00	Sr	77.43	17.00 - 117.00				
	Hf	1.01	0.05 - 4.82	Ta	0.48	0.10 - 1.50				
	ME-MS42 [ppm]	As	0.20	0.10 - 1.40	In	0.01	0.01 - 0.01	Se	0.20	0.20 - 0.20
		Bi	0.02	0.01 - 0.04	Re	0.00	0.00 - 0.00	Te	0.01	0.01 - 0.01
Hg		0.01	0.01 - 0.01	Sb	0.05	0.05 - 0.05	Tl	0.08	0.02 - 0.42	
ME-4ACD81 [ppm]	Ag	0.50	0.50 - 0.50	Li	27.20	10.00 - 60.00	Sc	1.80	1.00 - 8.00	
	Cd	0.50	0.50 - 0.50	Mo	1.12	1.00 - 3.00	Zn	25.60	5.00 - 193.00	
	Co	3.32	1.00 - 7.00	Ni	14.00	1.00 - 44.00				
	Cu	10.20	1.00 - 33.00	Pb	5.84	2.00 - 23.00				
ME-IR08 [%]	C	0.04	0.01 - 0.29							
	S	0.01	0.01 - 0.04							
	Conductivity - OA-ELE04			pH - OA-ELE03			Acid Insoluble - OA-GRA04			
	[uS/cm]	55.55	27.00 - 75.00	[unity]	8.11	6.70 - 9.30	[%]	64.67	50.22 - 92.00	



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 Phone: +46 911 65 800 Fax: +46 911 60 085
 www.alsglobal.com/geochemistry

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 1
 Total # Pages: 2 (A - E)
 Plus Appendix Pages
 Finalized Date: 1-DEC-2020
 Account: GETERG

CERTIFICATE PI20247286

Project: MAJORQAP QAVA

This report is for 29 Pulp samples submitted to our lab in Pitea, Sweden on 28-OCT-2020.

The following have access to data associated with this certificate:

ANDERS LIE

CLAUS ØSTERGAARD

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-4ACD81	Base Metals by 4-acid dig.	ICP-AES
OA-ELE04	Specific Conductivity 1:10	
OA-ELE03	pH 1:10 ratio	
OA-GRA04	Acid Insoluble	
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
C-IR07	Total Carbon (IR Spectroscopy)	LECO
S-IR08	Total Sulphur (IR Spectroscopy)	LECO
ME-MS81	Lithium Borate Fusion ICP-MS	ICP-MS
ME-MS42	Up to 34 elements by ICP-MS	ICP-MS
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
TOT-ICP06	Total Calculation for ICP06	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Samples were received on 28-Oct-2020 and the SSF/Request on 23-Oct-2020.

Signature:

Andrey Tairov, Technical Manager, Ireland



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 Phone: +46 911 65 800 Fax: +46 911 60 085
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 2 - A
 Total # Pages: 2 (A - E)
 Plus Appendix Pages
 Finalized Date: 1-DEC-2020
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: MAJORQAP QAVA

CERTIFICATE OF ANALYSIS PI20247286

Sample Description	Method Analyte Units LOD	WEI-21	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05
		Recvd Wt. kg	SiO2 %	Al2O3 %	Fe2O3 %	CaO %	MgO %	Na2O %	K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %
416512	0.02	0.22	46.6	32.0	1.14	16.20	0.66	1.69	0.16	0.004	0.03	0.02	<0.01	<0.01	<0.01	0.58
416539	0.23	0.23	47.1	32.9	0.66	16.25	0.27	1.83	0.15	0.004	0.02	0.01	<0.01	<0.01	<0.01	0.77
416575	0.21	0.21	45.4	33.9	1.09	17.50	0.69	1.41	0.11	0.005	0.02	0.02	<0.01	<0.01	<0.01	0.76
416603	0.21	0.21	45.9	33.3	0.86	17.10	0.37	1.43	0.14	0.004	0.03	0.01	<0.01	<0.01	<0.01	0.71
416631	0.22	0.22	49.0	32.2	0.47	14.55	0.15	1.85	0.61	0.004	0.02	0.05	<0.01	<0.01	<0.01	0.79
416646	0.23	0.23	49.1	32.0	1.00	15.95	0.55	1.85	0.22	0.010	0.04	0.02	<0.01	<0.01	<0.01	0.39
416674	0.22	0.22	48.7	32.4	0.81	16.00	0.31	1.90	0.20	0.004	0.03	0.02	<0.01	<0.01	<0.01	0.57
416713	0.18	0.18	60.2	21.9	1.38	9.86	0.56	1.87	1.81	0.004	0.03	0.03	<0.01	<0.01	0.01	2.94
416714	0.23	0.23	75.0	14.80	0.50	3.03	0.14	4.48	1.02	0.005	0.02	0.01	<0.01	<0.01	0.01	1.67
416773	0.20	0.20	45.7	33.0	1.08	16.80	0.59	1.63	0.28	0.004	0.03	0.02	0.01	<0.01	<0.01	1.70
416828	0.23	0.23	44.7	32.4	1.79	16.60	1.29	1.40	0.18	0.006	0.03	0.02	<0.01	<0.01	<0.01	1.58
416845	0.20	0.20	46.1	32.2	1.01	15.80	0.61	1.85	0.33	0.004	0.02	0.02	<0.01	<0.01	0.01	1.22
416873	0.21	0.21	45.0	33.4	0.74	17.00	0.26	1.49	0.10	0.003	0.03	0.01	<0.01	<0.01	<0.01	0.77
416935	0.23	0.23	46.8	32.3	0.93	16.40	0.37	1.69	0.30	0.004	0.04	0.01	<0.01	<0.01	<0.01	1.26
416948	0.20	0.20	52.7	28.1	1.17	13.30	0.45	1.90	1.17	0.005	0.05	0.04	0.01	<0.01	0.01	1.92
416959	0.22	0.22	73.3	15.20	0.49	4.18	0.18	3.90	0.61	0.004	0.08	0.02	0.01	<0.01	0.01	1.03
416977	0.23	0.23	46.6	32.4	1.04	16.30	0.46	1.53	0.43	0.004	0.04	0.02	<0.01	<0.01	<0.01	0.58
416992	0.21	0.21	51.4	30.6	1.19	14.40	0.48	2.11	0.51	0.004	0.09	0.02	0.02	<0.01	0.01	0.73
417034	0.20	0.20	46.6	32.2	1.25	15.35	1.11	1.82	0.47	0.004	0.02	0.02	<0.01	<0.01	<0.01	1.70
417091	0.21	0.21	48.4	29.4	1.60	14.40	0.72	1.81	1.05	0.005	0.03	0.03	<0.01	<0.01	0.01	1.72
417115	0.22	0.22	50.3	29.9	0.89	14.40	0.46	2.06	0.35	0.004	0.03	0.01	<0.01	<0.01	<0.01	0.69
417143	0.19	0.19	48.3	32.1	1.37	16.15	0.55	1.72	0.18	0.005	0.03	0.03	<0.01	<0.01	<0.01	0.47
417181	0.20	0.20	45.9	33.8	1.01	17.20	0.36	1.53	0.14	0.004	0.02	0.02	0.01	<0.01	<0.01	0.48
417208	0.21	0.21	51.5	29.0	1.29	14.15	0.58	1.69	0.36	0.005	0.03	0.03	0.02	<0.01	0.01	0.35
417247	0.20	0.20	46.0	31.8	1.31	16.35	0.65	1.60	0.19	0.004	0.03	0.02	<0.01	<0.01	<0.01	1.17
417275	0.21	0.21	51.4	29.4	1.10	13.90	0.59	2.14	0.28	0.003	0.02	0.06	<0.01	<0.01	<0.01	0.70
417291	0.20	0.20	64.9	20.7	1.02	7.10	0.54	3.55	1.01	0.005	0.02	0.03	<0.01	<0.01	0.01	1.57
417319	0.15	0.15	46.1	30.2	2.20	14.80	2.04	1.59	0.83	0.006	0.03	0.03	<0.01	<0.01	<0.01	0.82
417347	0.20	0.20	45.8	32.8	1.14	16.15	0.65	1.79	0.37	0.004	0.03	0.02	<0.01	<0.01	<0.01	0.24

Comments: Samples were received on 28-Oct-2020 and the SSF/Request on 23-Oct-2020.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 Phone: +46 911 65 800 Fax: +46 911 60 085
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 2 - B
 Total # Pages: 2 (A - E)
 Plus Appendix Pages
 Finalized Date: 1-DEC-2020
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: MAJORQAP QAVA

CERTIFICATE OF ANALYSIS PI20247286

Sample Description	Method Analyte Units LOD	TOT-ICP06	C-IR07	S-IR08	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Total %	C %	S %	Ba ppm	Ce ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Ge ppm	Hf ppm	Ho ppm
		0.01	0.01	0.01	0.5	0.1	10	0.01	0.05	0.03	0.02	0.1	0.05	5	0.1	0.01
416512		99.08	0.01	<0.01	5.1	1.0	20	0.76	0.22	0.10	0.18	19.1	0.25	<5	0.2	0.05
416539		99.96	<0.01	<0.01	24.1	1.0	10	0.56	0.25	0.06	0.20	19.4	0.18	<5	0.1	0.04
416575		100.91	<0.01	0.02	8.8	0.4	20	0.63	0.12	0.07	0.19	18.9	0.06	<5	0.1	0.02
416603		99.85	0.02	<0.01	12.2	1.2	20	0.51	0.32	0.15	0.22	19.7	0.31	<5	0.2	0.06
416631		99.69	0.01	<0.01	22.9	2.3	40	0.93	0.78	0.48	0.20	16.5	0.40	<5	0.5	0.17
416646		101.13	0.01	<0.01	12.3	2.9	60	0.71	0.56	0.32	0.21	19.6	0.63	<5	0.4	0.09
416674		100.94	<0.01	<0.01	24.8	1.5	10	0.77	0.27	0.10	0.18	18.5	0.20	<5	0.2	0.04
416713		100.59	0.29	<0.01	130.0	8.3	20	1.72	1.72	1.21	0.20	20.8	1.37	<5	0.8	0.35
416714		100.70	0.14	<0.01	53.4	12.5	20	0.92	2.03	1.33	0.34	19.8	1.06	<5	1.4	0.41
416773		100.84	0.02	<0.01	20.1	1.1	10	0.69	0.32	0.16	0.20	19.3	0.26	<5	0.2	0.06
416828		100.00	0.01	<0.01	13.3	0.5	30	0.54	0.12	0.07	0.22	17.1	0.11	<5	0.1	0.01
416845		99.17	0.07	0.03	53.9	1.5	10	0.59	0.29	0.14	0.20	19.2	0.20	<5	0.2	0.04
416873		98.80	0.05	0.01	14.6	1.6	10	0.27	0.23	0.16	0.19	17.9	0.26	<5	0.2	0.03
416935		100.10	0.03	0.01	24.1	2.5	20	0.63	0.28	0.13	0.23	19.6	0.28	<5	0.2	0.05
416948		100.83	0.09	0.01	111.5	5.3	20	3.05	1.10	0.77	0.23	20.4	0.65	<5	1.2	0.26
416959		99.01	0.01	<0.01	64.0	43.4	10	1.03	1.34	0.60	0.32	20.9	2.39	<5	3.7	0.22
416977		99.40	0.03	0.01	41.8	1.5	20	0.91	0.37	0.16	0.23	19.5	0.38	<5	0.3	0.07
416992		101.56	0.02	<0.01	85.1	9.8	20	0.82	0.42	0.17	0.24	19.9	0.58	<5	1.3	0.07
417034		100.54	<0.01	<0.01	21.8	2.2	10	1.79	0.55	0.22	0.20	18.8	0.63	<5	0.1	0.08
417091		99.18	0.01	<0.01	123.0	3.9	20	1.82	0.40	0.20	0.24	19.0	0.47	<5	0.4	0.07
417115		99.09	<0.01	<0.01	28.5	12.6	10	0.61	0.59	0.20	0.22	18.8	0.97	<5	0.6	0.08
417143		100.91	0.05	<0.01	15.9	1.8	20	1.30	0.51	0.41	0.19	19.7	0.42	<5	0.3	0.12
417181		100.47	<0.01	0.01	8.9	0.9	10	0.62	0.22	0.11	0.23	20.0	0.30	<5	0.2	0.04
417208		99.02	0.01	0.01	50.9	2.0	20	2.65	0.42	0.31	0.16	21.3	0.44	<5	1.1	0.10
417247		99.12	0.03	<0.01	11.5	1.4	20	0.44	0.19	0.07	0.21	18.8	0.24	<5	0.2	0.03
417275		99.59	<0.01	<0.01	17.4	3.8	10	1.25	1.28	0.87	0.18	18.3	0.72	<5	0.6	0.26
417291		100.46	<0.01	<0.01	74.5	7.5	20	1.32	2.68	1.85	0.15	19.4	1.19	<5	1.5	0.52
417319		98.65	0.02	<0.01	32.8	2.7	30	3.63	0.35	0.24	0.21	19.6	0.36	<5	1.3	0.07
417347		98.99	0.01	0.01	40.7	1.0	10	3.24	0.19	0.13	0.19	18.9	0.17	<5	0.2	0.03

Comments: Samples were received on 28-Oct-2020 and the SSF/Request on 23-Oct-2020.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 Phone: +46 911 65 800 Fax: +46 911 60 085
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 2 - C
 Total # Pages: 2 (A - E)
 Plus Appendix Pages
 Finalized Date: 1-DEC-2020
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: MAJORQAP QAVA

CERTIFICATE OF ANALYSIS PI20247286

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		La ppm	Lu ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tm ppm	U ppm	V ppm
		0.1	0.01	0.1	0.1	0.02	0.2	0.03	1	0.1	0.1	0.01	0.05	0.01	0.05	5
416512		0.5	0.01	2.7	0.5	0.13	10.3	0.20	1	78.0	0.7	0.03	0.24	0.01	0.50	10
416539		0.6	0.01	1.5	0.6	0.13	7.3	0.14	<1	105.0	0.4	0.03	0.24	0.02	0.47	6
416575		0.3	<0.01	1.2	0.3	0.04	7.8	0.10	1	85.8	0.1	0.02	<0.05	0.01	0.11	8
416603		0.7	0.02	1.6	0.6	0.16	6.0	0.19	1	80.5	0.3	0.05	0.38	0.01	0.54	7
416631		1.3	0.11	0.8	1.0	0.28	35.0	0.33	1	83.8	0.2	0.08	0.92	0.08	1.48	6
416646		1.4	0.04	1.9	1.5	0.41	14.5	0.47	1	72.0	0.2	0.08	0.85	0.05	0.37	12
416674		0.9	0.01	2.6	0.8	0.18	12.3	0.22	1	77.0	0.6	0.05	0.22	0.01	1.39	8
416713		4.1	0.15	2.5	4.1	1.01	100.0	1.19	1	68.4	0.3	0.27	2.82	0.19	4.86	6
416714		7.0	0.21	0.6	5.0	1.38	53.1	1.21	1	26.7	<0.1	0.22	2.47	0.22	3.16	<5
416773		0.6	0.01	2.5	0.8	0.15	22.1	0.21	1	95.5	0.3	0.05	0.23	0.03	0.52	9
416828		0.3	<0.01	0.7	0.3	0.07	15.0	0.13	1	92.2	0.1	0.01	0.08	0.01	0.13	12
416845		0.8	0.01	1.9	0.6	0.18	20.7	0.18	1	93.7	0.2	0.04	0.14	0.03	0.53	9
416873		0.9	0.01	1.3	0.7	0.19	5.5	0.18	1	85.1	0.2	0.04	0.30	0.02	0.21	8
416935		1.3	0.01	2.7	1.1	0.32	20.2	0.28	1	82.7	0.2	0.04	0.87	0.03	1.13	11
416948		3.0	0.10	2.9	2.2	0.61	64.3	0.49	1	89.9	0.4	0.15	2.11	0.12	0.85	14
416959		21.4	0.07	6.0	16.3	5.03	26.6	3.03	1	75.0	<0.1	0.31	14.90	0.09	2.69	11
416977		0.9	0.01	2.7	0.8	0.21	22.7	0.22	1	77.7	0.5	0.06	0.34	0.03	0.92	12
416992		5.3	0.02	4.0	3.6	1.06	28.3	0.84	1	92.3	0.4	0.09	1.53	0.02	1.29	14
417034		1.0	0.01	2.0	1.3	0.29	36.1	0.61	1	89.7	0.1	0.11	0.15	0.02	0.29	6
417091		1.9	0.03	3.7	1.7	0.48	62.8	0.55	1	86.7	0.5	0.07	0.19	0.03	0.34	11
417115		6.3	0.01	2.1	5.7	1.40	18.7	1.08	1	80.1	0.2	0.11	4.27	0.03	1.18	8
417143		0.9	0.05	1.1	1.1	0.24	15.8	0.34	<1	77.4	0.2	0.08	0.26	0.05	0.91	10
417181		0.4	0.02	1.6	0.6	0.11	7.0	0.19	1	79.3	0.2	0.03	0.39	0.01	0.51	8
417208		1.1	0.04	3.0	1.1	0.27	44.9	0.28	4	86.1	0.8	0.07	0.82	0.04	2.80	9
417247		0.8	<0.01	1.5	0.5	0.16	12.0	0.23	1	81.3	0.2	0.03	0.14	0.01	0.39	10
417275		2.0	0.13	2.1	1.6	0.42	24.1	0.45	1	75.0	0.5	0.15	0.46	0.14	1.05	8
417291		3.7	0.34	1.7	3.1	0.82	48.4	0.93	<1	50.4	0.2	0.29	1.96	0.36	2.23	<5
417319		1.4	0.02	1.5	1.3	0.35	74.4	0.37	1	80.4	0.1	0.06	1.48	0.03	9.95	11
417347		0.5	0.01	2.4	0.6	0.16	57.0	0.16	1	77.9	0.4	0.03	0.11	0.02	0.29	10

Comments: Samples were received on 28-Oct-2020 and the SSF/Request on 23-Oct-2020.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 Phone: +46 911 65 800 Fax: +46 911 60 085
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 2 - D
 Total # Pages: 2 (A - E)
 Plus Appendix Pages
 Finalized Date: 1-DEC-2020
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: MAJORQAP QAVA

CERTIFICATE OF ANALYSIS PI20247286

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS42	ME-MS42	ME-MS42	ME-MS42	ME-MS42	ME-MS42	ME-MS42	ME-MS42	ME-MS42	ME-4ACD81	ME-4ACD81
		W ppm	Y ppm	Yb ppm	Zr ppm	As ppm	Bi ppm	Hg ppm	In ppm	Re ppm	Sb ppm	Se ppm	Te ppm	Tl ppm	Ag ppm	Cd ppm
416512	1	1.5	0.09	<2	<0.1	0.01	<0.005	<0.005	<0.001	<0.05	<0.2	<0.01	0.05	<0.5	<0.5	
416539	<1	1.3	0.15	<2	<0.1	0.01	<0.005	<0.005	<0.001	<0.05	<0.2	<0.01	<0.02	<0.5	<0.5	
416575	<1	0.6	0.07	<2	<0.1	0.01	<0.005	<0.005	<0.001	<0.05	<0.2	0.01	0.07	<0.5	<0.5	
416603	<1	2.1	0.13	<2	<0.1	0.02	<0.005	<0.005	<0.001	<0.05	<0.2	<0.01	0.03	<0.5	<0.5	
416631	<1	5.7	0.66	9	<0.1	0.02	<0.005	<0.005	<0.001	<0.05	<0.2	0.01	0.07	<0.5	<0.5	
416646	<1	3.7	0.28	5	<0.1	0.01	<0.005	<0.005	<0.001	<0.05	<0.2	<0.01	0.09	<0.5	<0.5	
416674	<1	1.3	0.11	<2	<0.1	0.03	<0.005	<0.005	<0.001	<0.05	<0.2	0.01	0.07	<0.5	<0.5	
416713	<1	12.5	1.06	10	<0.1	0.01	<0.005	<0.005	<0.001	<0.05	<0.2	<0.01	0.06	<0.5	<0.5	
416714	<1	15.2	1.37	26	0.2	0.01	<0.005	<0.005	<0.001	<0.05	<0.2	0.01	0.03	<0.5	<0.5	
416773	<1	2.0	0.14	<2	<0.1	0.01	<0.005	<0.005	<0.001	<0.05	<0.2	<0.01	0.02	<0.5	<0.5	
416828	<1	0.7	0.07	<2	<0.1	0.02	<0.005	<0.005	<0.001	<0.05	<0.2	0.01	0.02	<0.5	<0.5	
416845	<1	1.6	0.13	2	<0.1	0.02	<0.005	<0.005	<0.001	<0.05	<0.2	0.01	0.02	<0.5	<0.5	
416873	<1	1.2	0.10	<2	<0.1	0.02	<0.005	<0.005	<0.001	<0.05	<0.2	<0.01	<0.02	<0.5	<0.5	
416935	<1	1.7	0.10	2	<0.1	0.01	<0.005	<0.005	<0.001	<0.05	<0.2	<0.01	0.02	<0.5	<0.5	
416948	1	8.3	0.78	23	0.2	0.01	<0.005	<0.005	<0.001	<0.05	<0.2	0.01	0.05	<0.5	<0.5	
416959	<1	6.3	0.57	99	0.2	<0.01	<0.005	<0.005	<0.001	<0.05	<0.2	<0.01	0.03	<0.5	<0.5	
416977	1	2.5	0.14	4	<0.1	0.02	<0.005	<0.005	<0.001	<0.05	<0.2	0.01	0.12	<0.5	<0.5	
416992	<1	2.4	0.15	37	0.4	0.01	<0.005	<0.005	<0.001	<0.05	<0.2	<0.01	0.12	<0.5	<0.5	
417034	<1	3.1	0.18	<2	<0.1	<0.01	<0.005	<0.005	<0.001	<0.05	<0.2	<0.01	0.02	<0.5	<0.5	
417091	1	2.4	0.23	3	0.3	0.01	<0.005	<0.005	<0.001	<0.05	<0.2	0.01	0.04	<0.5	<0.5	
417115	1	2.5	0.15	12	0.1	<0.01	<0.005	<0.005	<0.001	<0.05	<0.2	<0.01	0.10	<0.5	<0.5	
417143	<1	3.9	0.38	<2	<0.1	0.04	<0.005	<0.005	<0.001	<0.05	<0.2	<0.01	0.12	<0.5	<0.5	
417181	1	1.5	0.13	<2	0.1	0.02	<0.005	<0.005	<0.001	<0.05	<0.2	0.01	0.05	<0.5	<0.5	
417208	1	3.1	0.32	13	0.3	0.10	<0.005	<0.005	<0.001	<0.05	<0.2	<0.01	0.34	<0.5	<0.5	
417247	1	1.3	0.09	<2	<0.1	0.01	<0.005	<0.005	<0.001	<0.05	<0.2	<0.01	0.02	<0.5	<0.5	
417275	1	9.1	1.04	6	<0.1	0.01	<0.005	<0.005	<0.001	<0.05	<0.2	<0.01	0.03	<0.5	<0.5	
417291	<1	18.5	2.36	18	<0.1	0.01	<0.005	<0.005	<0.001	<0.05	<0.2	<0.01	0.02	<0.5	<0.5	
417319	<1	2.1	0.21	19	<0.1	0.02	<0.005	0.005	<0.001	<0.05	<0.2	<0.01	0.51	<0.5	<0.5	
417347	1	1.2	0.11	<2	0.1	0.01	<0.005	<0.005	<0.001	<0.05	<0.2	0.01	0.43	<0.5	<0.5	

Comments: Samples were received on 28-Oct-2020 and the SSF/Request on 23-Oct-2020.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 Phone: +46 911 65 800 Fax: +46 911 60 085
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 2 - E
 Total # Pages: 2 (A - E)
 Plus Appendix Pages
 Finalized Date: 1-DEC-2020
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: MAJORQAP QAVA

CERTIFICATE OF ANALYSIS PI20247286

Sample Description	Method Analyte Units LOD	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	OA-ELE04	OA-ELE03	OA-GRA04
		Co ppm	Cu ppm	Li ppm	Mo ppm	Ni ppm	Pb ppm	Sc ppm	Zn ppm	Conducti uS/cm	pH Unity	Acid Ins %
		1	1	10	1	1	2	1	2	1	0.1	0.01
416512		2	6	10	<1	17	<2	<1	17			
416539		<1	11	10	1	3	3	<1	16	55	8.7	49.88
416575		2	15	10	1	19	<2	<1	15			
416603		<1	14	20	1	3	<2	<1	11	51	9.0	47.24
416631		<1	4	50	<1	1	23	<1	193			
416646		1	1	30	1	8	<2	1	12			
416674		1	12	20	1	4	2	<1	14			
416713		3	7	10	1	15	6	1	92			
416714		<1	10	10	2	<1	9	1	13			
416773		1	6	10	<1	15	3	<1	19			
416828		4	6	40	1	33	<2	1	23	58	9.1	49.79
416845		2	23	20	1	14	3	<1	9			
416873		<1	10	10	<1	2	2	<1	15			
416935		<1	21	30	<1	2	<2	<1	11			
416948		3	13	30	1	13	5	1	21	65	9.2	62.43
416959		<1	13	20	1	1	9	1	29	66	9.3	91.86
416977		2	23	20	1	9	2	<1	21			
416992		1	12	40	3	5	2	1	18			
417034		3	<1	50	<1	32	<2	1	14			
417091		3	5	50	1	16	2	1	19			
417115		1	5	30	<1	10	6	<1	15			
417143		2	7	20	1	14	<2	1	15			
417181		2	18	20	1	6	<2	<1	13			
417208		2	15	30	1	14	5	<1	26	49	9.5	55.28
417247		2	9	20	1	18	4	<1	11			
417275		2	9	10	1	15	2	1	15			
417291		2	9	40	1	10	2	2	9	39	8.7	79.68
417319		8	14	60	5	72	3	1	23			
417347		2	24	40	2	17	<2	<1	22			

Comments: Samples were received on 28-Oct-2020 and the SSF/Request on 23-Oct-2020.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 Phone: +46 911 65 800 Fax: +46 911 60 085
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 1-DEC-2020
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: MAJORQAP QAVA

CERTIFICATE OF ANALYSIS PI20247286

CERTIFICATE COMMENTS

ACCREDITATION COMMENTS

Applies to Method: The methods immediately below this line are ISO 17025:2017 Accredited. INAB Registration No: 173T
 C-IR07 ME-ICP06 ME-MS81 OA-GRA05
 S-IR08



LABORATORY ADDRESSES

Applies to Method: Processed at ALS Pitea located at Hammarvagen 22, SE-943 36, Ojebyn, Sweden.
 LOG-24 WEI-21

Applies to Method: Processed at ALS Loughrea located at Dublin Road, Loughrea, Co. Galway, Ireland.
 C-IR07 ME-4ACD81 ME-ICP06 ME-MS42
 ME-MS81 OA-GRA05 S-IR08 TOT-ICP06

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
 OA-ELE03 OA-ELE04 OA-GRA04



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 1
 Total # Pages: 2 (A - E)
 Plus Appendix Pages
 Finalized Date: 14-FEB-2022
 Account: GETERG

CERTIFICATE PI21355006

Project: Majoqqap Qaava Drill 2021

This report is for 9 samples of 1/2 Core submitted to our lab in Pitea, Sweden on 17-DEC-2021.

The following have access to data associated with this certificate:

ANDERS LIE

CLAUS ØSTERGAARD

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
OA-ELE04	Specific Conductivity 1:10	
OA-ELE03	pH 1:10 ratio	
OA-GRA04	Acid Insoluble	
ME-XRF26	Whole Rock By Fusion/XRF	XRF
OA-GRA05x	LOI at 1000C for XRF	WST-SEQ
ME-MS42	Up to 34 elements by ICP-MS	ICP-MS
S-IR08	Total Sulphur (IR Spectroscopy)	LECO
C-IR07	Total Carbon (IR Spectroscopy)	LECO
ME-MS81	Lithium Borate Fusion ICP-MS	ICP-MS
ME-4ACD81	Base Metals by 4-acid dig.	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Samples were received on 17-Dec-2021 and the SSF/Request on 28-Oct-2021. CCP-PKG03 for certificate PI21344874.

Signature:

Andrey Tairov, Technical Manager, Ireland



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 2 - A
 Total # Pages: 2 (A - E)
 Plus Appendix Pages
 Finalized Date: 14-FEB-2022
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: Majoqqap Qaava Drill 2021

CERTIFICATE OF ANALYSIS PI21355006

Sample Description	Method Analyte Units LOD	OA-ELE04 Conducti uS/cm	OA-ELE03 pH Unity	OA-GRA04 Acid Ins %	ME-XRF26 Al2O3 %	ME-XRF26 BaO %	ME-XRF26 CaO %	ME-XRF26 Cr2O3 %	ME-XRF26 Fe2O3 %	ME-XRF26 K2O %	ME-XRF26 MgO %	ME-XRF26 MnO %	ME-XRF26 Na2O %	ME-XRF26 P2O5 %	ME-XRF26 SiO2 %	ME-XRF26 SrO %
		1	0.1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
248506		67	9.0	50.40	30.38	0.02	15.70	0.01	2.26	0.45	2.42	0.03	1.50	<0.01	46.56	0.01
248526		59	8.9	60.14	28.75	0.02	15.30	<0.01	1.66	0.32	1.22	0.03	1.68	<0.01	49.34	0.01
248546		47	8.8	53.45	29.90	0.02	15.45	0.01	2.41	0.22	1.69	0.04	1.98	0.03	46.98	0.01
248566		69	9.0	51.53	32.55	0.02	17.15	<0.01	1.08	0.21	0.69	0.02	1.58	<0.01	45.64	0.01
248586		63	9.3	47.85	31.85	0.02	16.85	<0.01	1.87	0.20	1.75	0.03	1.35	<0.01	45.63	0.01
248606		61	9.4	46.95	32.03	0.02	16.70	<0.01	1.54	0.24	0.99	0.03	1.57	0.02	46.20	0.01
248626		61	9.5	48.50	32.17	0.03	15.80	<0.01	1.40	0.48	0.79	0.03	1.98	<0.01	46.83	0.01
248646		60	9.1	52.42	31.93	0.02	15.95	0.01	1.00	0.14	0.76	0.03	1.82	<0.01	47.49	0.01
248666		51	9.1	52.99	31.37	0.03	15.75	<0.01	1.13	0.15	0.64	0.02	1.76	<0.01	48.22	0.01

Comments: Samples were received on 17-Dec-2021 and the SSF/Request on 28-Oct-2021. CCP-PKG03 for certificate PI21344874.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 2 - B
 Total # Pages: 2 (A - E)
 Plus Appendix Pages
 Finalized Date: 14-FEB-2022
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: Majoqqap Qaava Drill 2021

CERTIFICATE OF ANALYSIS PI21355006

Sample Description	Method Analyte Units LOD	ME-XRF26	OA-GRA05x	ME-XRF26	C-IR07	S-IR08	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		TiO2 %	LOI 1000 %	Total %	C %	S %	Ba ppm	Ce ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Ge ppm
		0.01	0.01	0.01	0.01	0.01	0.5	0.1	10	0.01	0.05	0.03	0.02	0.1	0.05	5
248506		0.03	0.48	99.87	<0.01	<0.01	8.3	1.9	30	3.38	0.37	0.14	0.18	17.2	0.35	<5
248526		0.02	1.34	99.71	0.01	<0.01	22.5	1.9	20	1.41	0.38	0.17	0.18	17.8	0.33	<5
248546		0.12	1.08	99.97	<0.01	<0.01	10.8	4.8	40	1.03	0.89	0.40	0.33	21.2	1.07	<5
248566		0.02	0.97	100.00	0.12	0.02	8.3	0.8	20	0.90	0.19	0.10	0.17	17.8	0.21	<5
248586		0.03	0.31	99.92	<0.01	0.01	6.8	0.9	30	2.51	0.21	0.11	0.17	17.6	0.23	<5
248606		0.03	0.22	99.61	<0.01	0.01	6.1	1.1	30	1.07	0.51	0.22	0.20	17.9	0.41	<5
248626		0.02	0.20	99.84	<0.01	0.04	116.5	0.9	20	4.11	0.17	0.05	0.18	19.9	0.19	<5
248646		0.02	0.95	100.15	<0.01	<0.01	6.6	1.3	30	0.68	0.49	0.31	0.16	19.0	0.28	<5
248666		0.02	0.72	99.85	<0.01	0.02	7.8	1.3	20	0.61	0.39	0.16	0.17	18.1	0.39	<5

Comments: Samples were received on 17-Dec-2021 and the SSF/Request on 28-Oct-2021. CCP-PKG03 for certificate PI21344874.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 2 - C
 Total # Pages: 2 (A - E)
 Plus Appendix Pages
 Finalized Date: 14-FEB-2022
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: Majoqqap Qaava Drill 2021

CERTIFICATE OF ANALYSIS PI21355006

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Hf	Ho	La	Lu	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tm
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.01	0.1	0.01	0.1	0.1	0.02	0.2	0.03	1	0.1	0.1	0.01	0.05	0.01
248506		<0.1	0.07	1.0	0.02	2.2	1.0	0.26	34.3	0.30	<1	68.5	0.2	0.06	0.61	0.02
248526		0.1	0.06	1.0	0.02	1.7	1.0	0.22	19.8	0.33	<1	80.6	0.3	0.06	1.83	0.02
248546		0.2	0.17	2.2	0.05	3.2	3.2	0.66	17.8	0.91	<1	110.5	0.4	0.14	0.26	0.05
248566		0.2	0.04	0.4	0.02	0.6	0.5	0.11	16.7	0.21	<1	85.9	0.1	0.03	0.39	0.02
248586		<0.1	0.04	0.4	0.01	0.4	0.6	0.14	13.5	0.20	<1	71.6	0.1	0.03	0.08	0.02
248606		0.1	0.08	0.5	0.02	1.5	0.8	0.16	17.2	0.24	<1	69.1	0.3	0.08	0.39	0.04
248626		<0.1	0.03	0.4	0.01	3.7	0.5	0.12	75.8	0.17	1	80.5	0.6	0.03	0.10	0.01
248646		<0.1	0.10	0.7	0.05	0.7	0.7	0.16	11.0	0.25	<1	77.3	0.2	0.05	0.07	0.04
248666		0.2	0.05	0.8	0.02	1.3	0.9	0.17	13.4	0.26	<1	76.2	0.3	0.05	0.26	0.01

Comments: Samples were received on 17-Dec-2021 and the SSF/Request on 28-Oct-2021. CCP-PKG03 for certificate PI21344874.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 2 - D
 Total # Pages: 2 (A - E)
 Plus Appendix Pages
 Finalized Date: 14-FEB-2022
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: Majoqqap Qaava Drill 2021

CERTIFICATE OF ANALYSIS PI21355006

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS42	ME-MS42	ME-MS42	ME-MS42	ME-MS42	ME-MS42	ME-MS42	ME-MS42	
		U	V	W	Y	Yb	Zr	As	Bi	Hg	In	Re	Sb	Sc	Se	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	0.05	5	1	0.1	0.03	2	0.1	0.01	0.005	0.005	0.001	0.05	0.1	0.2	0.01	
248506	0.45	12	<1	1.8	0.14	<2	<0.1	0.02	0.012	<0.005	<0.001	<0.05	1.3	0.3	0.01	
248526	1.80	9	<1	1.6	0.13	<2	<0.1	0.01	0.006	<0.005	<0.001	<0.05	0.7	<0.2	<0.01	
248546	0.59	31	<1	4.6	0.29	3	<0.1	0.04	0.006	<0.005	<0.001	<0.05	1.4	0.2	0.01	
248566	0.53	8	<1	1.1	0.09	8	<0.1	0.02	<0.005	<0.005	<0.001	<0.05	0.7	0.2	<0.01	
248586	0.17	13	<1	1.1	0.12	<2	<0.1	0.02	0.006	<0.005	<0.001	<0.05	0.9	<0.2	0.01	
248606	0.40	14	<1	2.6	0.21	<2	<0.1	0.01	0.006	<0.005	<0.001	<0.05	1.1	0.3	0.01	
248626	0.28	10	<1	0.9	0.07	<2	<0.1	0.04	0.006	<0.005	<0.001	<0.05	1.5	<0.2	0.02	
248646	0.15	8	<1	2.8	0.32	<2	<0.1	0.01	0.007	<0.005	<0.001	<0.05	1.1	<0.2	<0.01	
248666	0.38	9	<1	1.8	0.13	<2	<0.1	0.01	<0.005	<0.005	<0.001	<0.05	1.1	0.2	0.01	

Comments: Samples were received on 17-Dec-2021 and the SSF/Request on 28-Oct-2021. CCP-PKG03 for certificate PI21344874.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 2 - E
 Total # Pages: 2 (A - E)
 Plus Appendix Pages
 Finalized Date: 14-FEB-2022
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: Majoqqap Qaava Drill 2021

CERTIFICATE OF ANALYSIS PI21355006

Sample Description	Method Analyte Units LOD	ME-MS42	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	
		Tl	Ag	Cd	Co	Cu	Li	Mo	Ni	Pb	Sc	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.5	0.5	1	1	10	1	1	2	1	2
248506		0.25	<0.5	<0.5	13	2	40	1	82	<2	1	18
248526		0.03	<0.5	<0.5	7	10	50	3	43	20	1	25
248546		0.04	<0.5	<0.5	9	21	30	<1	54	<2	3	15
248566		0.02	<0.5	<0.5	4	19	30	<1	20	<2	<1	10
248586		0.09	<0.5	<0.5	8	5	30	<1	57	<2	1	12
248606		0.14	<0.5	<0.5	4	6	30	<1	28	<2	1	15
248626		0.52	<0.5	<0.5	5	32	40	1	21	<2	<1	24
248646		<0.02	<0.5	<0.5	2	1	40	<1	20	<2	1	8
248666		0.02	<0.5	<0.5	2	11	30	1	16	<2	1	7

Comments: Samples were received on 17-Dec-2021 and the SSF/Request on 28-Oct-2021. CCP-PKG03 for certificate PI21344874.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 14-FEB-2022
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: Majoqqap Qaava Drill 2021

CERTIFICATE OF ANALYSIS PI21355006

CERTIFICATE COMMENTS

ACCREDITATION COMMENTS

Applies to Method: The methods immediately below this line are ISO 17025:2017 Accredited. INAB Registration No: 173T
 C-IR07 ME-MS81 ME-XRF26 S-IR08



LABORATORY ADDRESSES

Applies to Method: Processed at ALS Loughrea located at Dublin Road, Loughrea, Co. Galway, Ireland.
 C-IR07 ME-4ACD81 ME-MS42 ME-MS81
 ME-XRF26 OA-GRA05x S-IR08

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
 OA-ELE03 OA-ELE04 OA-GRA04



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 1
 Total # Pages: 4 (A - E)
 Plus Appendix Pages
 Finalized Date: 9-FEB-2023
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

CERTIFICATE PI22345063

Project: Majoqqap Qaava Drill 2022

This report is for 94 samples of 1/2 Core submitted to our lab in Pitea, Sweden on 30-NOV-2022.

The following have access to data associated with this certificate:

ANDERS LIE

CLAUS ØSTERGAARD

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize up to 250g 85% <75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
OA-ELE04	Specific Conductivity 1:10	
OA-ELE03	pH 1:10 ratio	
OA-GRA04	Acid Insoluble	
ME-XRF26	Whole Rock By Fusion/XRF	XRF
OA-GRA05x	LOI at 1000C for XRF	WST-SEQ
ME-MS42	Up to 34 elements by ICP-MS	ICP-MS
S-IR08	Total Sulphur (IR Spectroscopy)	LECO
C-IR07	Total Carbon (IR Spectroscopy)	LECO
ME-MS81	Lithium Borate Fusion ICP-MS	ICP-MS
ME-4ACD81	Base Metals by 4-acid dig.	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Samples were received on 30-Nov-2022 and the SSF/Request on 11-Nov-2022.

Signature:

Andrey Tairov, Technical Manager, Ireland



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 2 - A
 Total # Pages: 4 (A - E)
 Plus Appendix Pages
 Finalized Date: 9-FEB-2023
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: Majoqqap Qaava Drill 2022

CERTIFICATE OF ANALYSIS PI22345063

Sample Description	Method Analyte Units LOD	WEI-21	CRU-QC	PUL-QC	OA-ELE04	OA-ELE03	OA-GRA04	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26
		Recvd Wt. kg	Pass2mm %	Pass75um %	Conducti uS/cm	pH Unity	Acid Ins %	Al2O3 %	BaO %	CaO %	Cr2O3 %	Fe2O3 %	K2O %	MgO %	MnO %	Na2O %
248756		4.68	95.7	90.4	46	9.0	49.27	31.00	<0.01	16.05	<0.01	1.87	0.52	1.94	0.03	1.47
248767		3.86	77.5	90.0	42	7.9	50.55	32.62	<0.01	16.90	<0.01	1.20	0.12	1.02	0.02	1.42
248778		3.89			45	8.2	53.86	32.22	<0.01	15.95	<0.01	0.70	0.19	0.33	0.02	1.84
248791		4.28			74	8.9	54.02	31.10	<0.01	14.85	<0.01	1.21	0.29	0.97	0.02	2.19
248802		3.65			53	8.4	65.96	30.28	<0.01	17.80	<0.01	0.94	0.99	0.39	0.03	0.92
248814		3.48			27	6.7	92.00	13.96	<0.01	2.49	<0.01	0.53	1.43	0.10	0.02	3.51
248825		2.57			65	8.3	49.85	32.56	0.01	15.30	<0.01	1.00	0.47	0.90	0.02	1.87
248836		3.96			57	8.1	48.42	32.09	0.01	16.30	<0.01	1.21	0.34	1.10	0.02	1.60
248847		4.24			57	7.7	58.84	28.78	0.01	13.55	<0.01	0.91	0.44	0.53	0.02	2.16
248859		3.92			64	8.3	54.59	30.61	0.01	15.20	<0.01	1.32	0.40	1.02	0.03	1.86
248872		3.56			60	8.2	52.58	30.81	<0.01	15.00	<0.01	0.85	0.43	0.48	0.02	1.86
248883		3.69			56	8.4	74.77	23.02	0.01	8.30	<0.01	1.03	3.68	0.49	0.06	2.37
248894		3.86			54	8.2	47.54	33.52	0.01	17.55	<0.01	0.79	0.12	0.32	0.02	1.41
248906		3.97			49	8.1	49.17	33.09	0.01	17.40	<0.01	1.25	0.07	0.87	0.02	1.40
248917		3.48			50	8.2	50.65	32.95	0.01	17.45	<0.01	1.32	0.07	0.99	0.02	1.38
248928		3.05			57	8.3	69.34	25.48	0.02	11.25	<0.01	1.80	0.50	1.06	0.03	2.65
248941		3.76			60	7.9	60.77	30.47	0.01	14.20	<0.01	0.82	0.30	0.37	0.02	2.72
248952		3.74			54	7.9	56.48	29.57	0.01	14.60	<0.01	1.21	0.43	0.85	0.03	2.11
248964		3.14			40	8.1	54.95	31.84	0.02	16.10	<0.01	1.22	0.41	0.85	0.02	1.51
248975		4.37			74	7.3	61.98	31.68	0.02	15.45	<0.01	1.19	1.16	0.79	0.03	1.68
248986		3.69			61	8.6	52.88	32.76	0.02	16.65	<0.01	1.11	0.29	0.61	0.02	1.73
248998		3.81			57	8.1	53.75	32.11	0.01	16.30	<0.01	1.30	0.21	0.71	0.03	1.72
249509		3.87			47	7.6	50.59	33.38	0.01	17.95	<0.01	1.14	0.14	0.50	0.02	1.38
249522		3.64			53	8.1	50.60	31.72	0.01	16.40	<0.01	1.66	0.21	0.97	0.03	1.52
249533		3.65			53	7.9	50.22	31.80	0.01	16.95	<0.01	1.20	0.13	0.49	0.02	1.52
249544		3.79			63	8.0	73.75	29.23	0.01	16.30	<0.01	0.99	0.27	0.36	0.03	1.85
249556		3.83			51	7.8	59.96	33.27	0.01	17.00	<0.01	0.91	0.33	0.31	0.02	1.70
249567		3.27			59	8.0	57.79	29.70	0.02	14.40	<0.01	1.44	0.36	0.96	0.02	1.97
249578		3.81			56	7.8	54.20	31.47	0.01	16.20	<0.01	1.72	0.22	1.43	0.03	1.40
249591		4.37			50	8.3	74.27	28.00	0.02	16.65	<0.01	2.09	0.78	0.41	0.04	1.09
249602		4.12			65	7.9	48.89	33.15	0.01	17.00	<0.01	1.21	0.10	0.61	0.02	1.44
249614		4.07			60	7.5	54.47	32.07	0.02	15.70	<0.01	1.16	0.52	0.53	0.02	2.17
249625		3.69			63	7.5	57.24	27.75	0.01	14.00	<0.01	3.07	0.23	1.74	0.05	1.81
249636		3.88			47	7.7	55.82	30.47	0.01	15.55	<0.01	0.97	0.23	0.44	0.02	1.84
249648		3.75			59	7.2	55.50	31.99	0.01	16.00	<0.01	1.28	0.47	0.59	0.03	1.78
249659		4.13			55	7.7	70.29	29.06	0.02	16.65	<0.01	1.24	0.56	0.47	0.04	1.75
249672		3.89			58	7.3	62.72	30.47	0.02	14.60	0.01	1.23	0.80	0.51	0.03	2.03
249683		4.14			54	8.3	71.42	29.55	0.03	12.25	<0.01	1.01	2.00	0.36	0.03	2.11
249694		3.82			59	7.9	50.78	31.78	0.01	16.10	0.16	1.36	0.33	0.86	0.03	1.69
249706		3.80			60	8.0	59.49	28.28	0.02	14.20	<0.01	1.39	0.63	0.69	0.06	1.68

Comments: Samples were received on 30-Nov-2022 and the SSF/Request on 11-Nov-2022.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 2 - B
 Total # Pages: 4 (A - E)
 Plus Appendix Pages
 Finalized Date: 9-FEB-2023
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: Majoqqap Qaava Drill 2022

CERTIFICATE OF ANALYSIS PI22345063

Sample Description	Method Analyte Units LOD	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	OA-GRA05x	ME-XRF26	C-IR07	S-IR08	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		P2O5 %	SiO2 %	SrO %	TiO2 %	LOI 1000 %	Total %	C %	S %	Ba ppm	Ce ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm
248756		<0.01	46.54	0.01	0.02	0.65	100.15	0.01	0.01	11.9	1.6	15	4.65	0.26	0.12	0.20
248767		<0.01	45.93	0.01	0.02	1.01	100.30	0.01	0.01	3.7	0.5	9	0.64	0.13	0.07	0.19
248778		<0.01	48.28	0.01	0.02	0.75	100.30	<0.01	<0.01	13.7	1.9	17	0.54	0.44	0.21	0.21
248791		<0.01	47.78	0.01	0.02	1.55	100.00	0.04	0.01	12.0	2.7	17	0.99	0.58	0.25	0.20
248802		<0.01	46.67	0.01	0.03	2.40	100.45	0.04	<0.01	37.4	5.2	10	3.64	0.32	0.15	0.26
248814		0.01	77.08	<0.01	0.01	1.11	100.25	0.02	<0.01	25.1	13.3	10	1.28	4.11	2.65	0.09
248825		<0.01	46.37	0.01	0.02	1.29	99.83	0.04	0.01	22.4	0.9	13	1.49	0.15	0.04	0.19
248836		0.01	47.48	0.01	0.02	0.39	100.60	0.02	<0.01	8.9	2.2	34	2.05	0.41	0.21	0.20
248847		0.01	53.41	0.01	0.02	0.34	100.25	0.03	0.02	29.1	4.7	8	1.28	0.34	0.15	0.24
248859		<0.01	49.58	0.01	0.02	0.35	100.45	0.01	0.01	14.0	1.5	12	1.45	0.20	0.09	0.19
248872		<0.01	50.08	0.01	0.02	1.18	100.75	0.02	<0.01	18.2	2.0	14	2.84	0.67	0.38	0.20
248883		0.02	61.00	0.01	0.03	0.60	100.65	0.01	<0.01	11.3	7.0	11	1.22	1.96	1.43	0.16
248894		<0.01	46.98	0.01	0.02	0.58	101.40	0.03	0.01	6.1	0.8	7	0.54	0.18	0.09	0.20
248906		<0.01	46.66	0.01	0.02	1.06	101.95	0.02	0.02	5.1	0.6	23	0.34	0.19	0.09	0.22
248917		<0.01	46.18	0.01	0.02	1.05	101.50	0.05	<0.01	3.1	0.6	24	0.17	0.19	0.12	0.18
248928		0.01	56.95	0.01	0.11	0.84	100.75	0.02	0.01	44.2	10.3	18	1.77	0.59	0.28	0.25
248941		0.01	51.32	0.01	0.03	0.74	101.05	<0.01	<0.01	25.6	5.0	15	0.87	0.65	0.24	0.19
248952		<0.01	50.85	0.01	0.02	0.57	100.30	0.04	<0.01	25.5	4.4	20	2.01	0.50	0.23	0.22
248964		<0.01	47.11	0.01	0.02	1.27	100.40	<0.01	<0.01	32.3	1.0	17	0.97	0.17	0.10	0.20
248975		0.01	45.96	0.02	0.02	2.86	100.90	0.01	<0.01	113.5	1.2	28	2.14	0.28	0.13	0.22
248986		<0.01	46.61	0.01	0.02	1.08	100.95	0.03	<0.01	39.2	0.7	22	0.80	0.45	0.25	0.17
248998		<0.01	47.29	0.01	0.04	0.96	100.70	0.02	<0.01	16.0	1.7	18	0.49	0.32	0.19	0.23
249509		<0.01	46.29	0.01	0.03	0.78	101.70	0.02	0.02	13.4	0.5	13	0.29	0.12	0.07	0.24
249522		<0.01	46.73	0.01	0.06	1.23	100.60	0.03	0.01	11.8	1.9	30	0.34	0.53	0.25	0.22
249533		0.01	45.77	0.01	0.05	0.71	98.74	0.04	0.02	5.1	0.8	27	0.18	0.39	0.21	0.20
249544		0.01	50.86	0.01	0.01	1.54	101.50	<0.01	<0.01	21.0	3.6	9	1.21	0.67	0.28	0.18
249556		<0.01	45.98	0.01	0.01	1.30	100.85	<0.01	<0.01	17.6	1.0	14	1.88	0.24	0.12	0.20
249567		0.05	49.83	0.02	0.09	1.35	100.25	<0.01	0.01	40.1	19.5	14	1.06	0.80	0.42	0.45
249578		<0.01	47.41	0.01	0.02	1.29	101.25	0.02	<0.01	9.9	1.2	16	0.81	0.23	0.14	0.21
249591		0.02	49.93	0.01	0.07	2.23	101.70	0.01	0.14	110.5	18.0	18	0.84	0.82	0.51	0.41
249602		<0.01	46.22	0.01	0.02	0.92	100.80	0.01	0.03	9.2	0.4	16	0.55	0.10	0.08	0.23
249614		0.02	47.33	0.01	0.02	1.19	100.85	0.02	0.02	90.6	3.3	15	0.80	0.27	0.09	0.15
249625		0.13	49.32	0.03	0.20	2.03	100.75	0.06	0.11	43.2	36.2	11	0.89	1.14	0.50	0.60
249636		<0.01	49.76	0.01	0.02	0.83	100.20	0.13	<0.01	26.8	3.0	9	1.32	0.21	0.11	0.21
249648		<0.01	47.22	0.01	0.03	1.47	100.90	0.01	<0.01	52.3	2.0	31	1.28	0.58	0.23	0.20
249659		0.02	49.63	0.01	0.04	2.07	101.65	0.01	0.03	40.9	3.9	20	1.02	0.85	0.43	0.24
249672		0.01	50.13	0.01	0.04	1.44	101.35	0.01	<0.01	82.5	3.2	34	1.90	0.58	0.26	0.20
249683		0.01	52.55	0.01	0.03	1.72	101.70	0.01	0.01	161.0	6.8	7	2.85	0.75	0.31	0.22
249694		<0.01	48.03	0.01	0.03	1.09	101.50	0.01	<0.01	9.6	1.8	1015	1.20	0.35	0.14	0.16
249706		0.01	53.04	0.01	0.03	1.25	101.35	0.01	0.01	41.8	7.2	22	0.87	1.78	1.36	0.16

Comments: Samples were received on 30-Nov-2022 and the SSF/Request on 11-Nov-2022.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 2 - C
 Total # Pages: 4 (A - E)
 Plus Appendix Pages
 Finalized Date: 9-FEB-2023
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: Majoqqap Qaava Drill 2022

CERTIFICATE OF ANALYSIS PI22345063

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Ga	Gd	Ge	Hf	Ho	La	Lu	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.05	0.5	0.05	0.01	0.1	0.01	0.05	0.1	0.02	0.2	0.03	0.5	0.1	0.1
248756		23.8	0.27	0.7	0.10	0.04	0.9	0.01	1.84	0.7	0.19	49.6	0.20	0.7	75.6	0.4
248767		22.1	0.13	0.6	<0.05	0.03	0.2	0.01	0.55	0.3	0.07	9.9	0.09	<0.5	84.7	0.1
248778		25.4	0.54	0.7	0.25	0.08	0.9	0.02	2.85	1.0	0.25	11.8	0.42	<0.5	83.5	0.7
248791		21.4	0.70	0.7	0.22	0.10	2.0	0.03	4.37	1.9	0.49	22.7	0.55	<0.5	89.4	0.7
248802		23.5	0.48	0.9	<0.05	0.06	2.7	0.03	2.39	2.2	0.60	99.5	0.57	<0.5	111.5	0.3
248814		26.6	2.27	1.1	1.10	0.88	6.6	0.51	16.45	6.3	1.66	87.8	1.77	1.1	17.0	1.5
248825		25.7	0.14	0.7	<0.05	0.02	0.4	0.01	1.96	0.4	0.13	33.5	0.13	<0.5	97.9	0.3
248836		14.4	0.44	<0.5	0.05	0.08	1.0	0.03	2.03	1.1	0.28	37.5	0.31	0.6	79.0	0.3
248847		25.3	0.47	0.7	1.04	0.05	2.6	0.02	3.90	1.9	0.53	25.9	0.42	0.5	82.3	0.8
248859		12.6	0.17	<0.5	0.05	0.03	0.8	0.01	1.96	0.7	0.17	28.3	0.17	0.5	71.0	0.5
248872		26.9	0.55	0.9	0.16	0.13	1.0	0.06	4.71	1.1	0.26	34.6	0.40	0.7	87.9	0.7
248883		28.8	1.10	1.1	0.65	0.46	3.5	0.24	11.20	2.9	0.81	162.0	0.76	1.0	41.0	1.0
248894		22.3	0.15	0.6	<0.05	0.03	0.4	0.01	0.70	0.4	0.11	4.3	0.11	<0.5	78.4	0.2
248906		25.9	0.20	0.6	<0.05	0.03	0.2	0.01	0.75	0.4	0.08	3.5	0.10	0.5	91.1	0.1
248917		15.3	0.20	<0.5	<0.05	0.04	0.3	0.01	0.60	0.4	0.09	3.3	0.14	<0.5	84.8	0.2
248928		26.2	0.87	0.8	3.45	0.09	5.5	0.03	11.40	4.1	1.20	42.7	0.89	1.2	91.4	0.9
248941		27.7	0.66	0.8	0.71	0.10	2.6	0.03	6.27	2.1	0.57	19.0	0.58	0.8	87.4	1.0
248952		28.4	0.50	0.9	0.40	0.09	2.3	0.03	5.87	1.8	0.50	34.9	0.48	0.6	84.9	1.1
248964		13.4	0.18	<0.5	0.07	0.03	0.5	0.01	1.16	0.6	0.15	21.4	0.12	<0.5	110.0	0.1
248975		24.0	0.22	0.8	0.05	0.05	0.6	0.01	2.19	0.6	0.15	50.6	0.16	0.7	136.5	0.4
248986		23.6	0.28	0.6	<0.05	0.09	0.3	0.03	1.66	0.5	0.10	16.4	0.21	0.6	108.0	0.1
248998		22.5	0.32	0.6	0.07	0.07	0.8	0.04	1.93	0.8	0.21	11.8	0.22	0.5	96.6	0.2
249509		20.2	0.14	0.5	<0.05	0.03	0.2	0.01	0.66	0.3	0.07	7.0	0.11	<0.5	90.5	0.1
249522		10.7	0.46	<0.5	0.09	0.11	0.8	0.03	1.62	1.1	0.26	16.2	0.37	0.5	91.2	0.2
249533		14.6	0.27	<0.5	0.12	0.07	0.3	0.04	2.44	0.5	0.12	7.1	0.20	0.7	84.8	0.5
249544		27.3	0.61	0.9	0.23	0.11	1.7	0.04	6.25	1.5	0.43	16.8	0.47	1.0	99.0	1.0
249556		23.7	0.20	0.7	<0.05	0.04	0.5	0.01	1.38	0.5	0.11	19.0	0.14	0.6	93.7	0.2
249567		14.8	1.14	0.5	0.58	0.15	9.7	0.07	3.58	9.2	2.34	23.2	1.54	0.7	176.5	0.4
249578		20.9	0.19	0.7	<0.05	0.05	0.6	0.02	1.94	0.5	0.15	17.8	0.12	0.9	86.7	0.3
249591		24.3	0.90	1.0	2.30	0.15	10.2	0.07	2.47	6.2	1.92	39.9	0.98	4.0	119.5	0.4
249602		20.9	0.10	0.6	<0.05	0.02	0.1	<0.01	0.87	0.2	0.05	6.1	0.10	<0.5	88.6	<0.1
249614		20.6	0.23	1.2	0.09	0.05	1.8	0.01	3.44	1.6	0.34	32.2	0.18	1.4	84.9	0.6
249625		20.8	2.17	0.9	1.12	0.24	17.2	0.06	9.63	17.8	4.26	18.1	3.13	1.1	217	1.0
249636		21.7	0.29	0.6	0.21	0.03	1.5	0.01	1.80	1.2	0.37	12.4	0.31	<0.5	94.3	0.1
249648		20.2	0.48	0.8	0.20	0.09	0.8	0.03	2.88	1.1	0.20	30.2	0.31	0.5	106.5	0.3
249659		24.0	0.77	1.1	0.10	0.14	1.6	0.04	7.54	1.8	0.41	45.3	0.70	1.1	124.0	0.9
249672		21.1	0.43	1.0	0.50	0.10	1.5	0.04	6.12	1.6	0.34	53.0	0.56	1.1	96.0	1.1
249683		20.5	0.48	1.0	0.55	0.11	3.5	0.06	2.58	2.8	0.79	117.0	0.68	<0.5	76.9	0.3
249694		23.6	0.32	0.8	0.11	0.05	0.8	0.02	2.98	0.8	0.22	35.4	0.40	<0.5	84.7	0.4
249706		18.5	1.18	1.0	1.38	0.42	3.2	0.22	2.11	3.3	0.92	31.9	1.00	<0.5	76.7	0.4

Comments: Samples were received on 30-Nov-2022 and the SSF/Request on 11-Nov-2022.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 2 - D
 Total # Pages: 4 (A - E)
 Plus Appendix Pages
 Finalized Date: 9-FEB-2023
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: Majoqqap Qaava Drill 2022

CERTIFICATE OF ANALYSIS PI22345063

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS42	ME-MS42	ME-MS42	ME-MS42	ME-MS42	
		Tb	Th	Tm	U	V	W	Y	Yb	Zr	As	Bi	Hg	In	Re	Sb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.05	0.01	0.05	5	0.5	0.1	0.03	1	0.1	0.01	0.005	0.005	0.001	0.05
248756		0.05	0.48	0.02	0.83	7	<0.5	1.4	0.12	2	0.5	0.02	<0.005	<0.005	<0.001	<0.05
248767		0.02	0.07	0.01	0.13	7	<0.5	0.7	0.06	1	0.2	0.01	0.009	<0.005	<0.001	<0.05
248778		0.09	0.89	0.02	1.08	6	0.9	2.6	0.18	3	<0.1	0.01	<0.005	<0.005	<0.001	<0.05
248791		0.12	0.46	0.05	1.14	7	1.1	3.7	0.20	3	0.1	0.01	0.011	<0.005	<0.001	<0.05
248802		0.07	0.25	0.04	0.65	7	1.8	2.0	0.12	<1	<0.1	0.01	0.006	<0.005	<0.001	<0.05
248814		0.57	2.67	0.42	3.77	<5	0.8	31.8	3.56	13	<0.1	0.01	0.006	0.005	<0.001	<0.05
248825		0.03	0.14	0.01	0.16	6	2.0	0.8	0.06	1	0.3	<0.01	<0.005	<0.005	<0.001	<0.05
248836		0.08	0.83	0.03	0.99	6	1.0	2.7	0.18	2	0.1	0.02	<0.005	0.005	<0.001	<0.05
248847		0.07	0.50	0.02	0.89	5	0.5	1.8	0.10	15	0.1	<0.01	0.010	0.007	<0.001	<0.05
248859		0.03	0.24	0.01	0.79	6	0.5	1.2	0.10	1	<0.1	0.02	0.006	<0.005	<0.001	<0.05
248872		0.10	0.75	0.05	0.73	7	0.8	4.3	0.42	4	0.3	0.01	<0.005	<0.005	<0.001	<0.05
248883		0.27	1.28	0.23	1.14	8	<0.5	14.3	1.84	9	0.2	0.01	0.009	0.006	<0.001	<0.05
248894		0.03	0.38	0.01	2.34	7	1.0	1.0	0.07	1	<0.1	0.02	0.006	<0.005	<0.001	<0.05
248906		0.03	0.06	0.01	0.21	8	1.0	1.0	0.08	1	0.1	0.01	0.006	<0.005	<0.001	<0.05
248917		0.04	0.05	0.01	0.11	8	0.7	1.1	0.08	1	<0.1	0.01	0.005	<0.005	<0.001	<0.05
248928		0.14	2.53	0.03	3.09	14	0.8	3.3	0.23	75	0.4	0.01	<0.005	0.005	<0.001	<0.05
248941		0.12	1.60	0.03	1.06	7	0.7	3.6	0.24	13	0.1	0.03	0.005	<0.005	<0.001	0.05
248952		0.10	0.96	0.03	2.81	9	1.2	3.1	0.23	7	0.1	0.01	0.012	0.006	<0.001	<0.05
248964		0.03	0.28	0.02	0.31	7	0.5	1.1	0.07	3	0.2	0.01	0.011	<0.005	<0.001	<0.05
248975		0.05	0.25	0.02	0.73	9	0.9	1.5	0.12	1	<0.1	0.01	0.012	0.008	<0.001	<0.05
248986		0.07	0.11	0.03	0.21	8	<0.5	2.6	0.25	1	<0.1	0.01	0.009	0.009	<0.001	<0.05
248998		0.05	0.06	0.03	0.25	14	0.6	2.0	0.21	3	<0.1	0.01	0.011	0.009	<0.001	<0.05
249509		0.03	0.06	0.01	0.17	10	0.5	0.9	0.08	1	<0.1	0.02	0.011	0.007	<0.001	<0.05
249522		0.09	0.12	0.03	0.22	22	0.7	2.8	0.27	3	<0.1	0.03	0.008	0.009	<0.001	<0.05
249533		0.06	0.14	0.03	0.53	19	0.7	2.2	0.24	4	<0.1	0.03	0.009	0.007	<0.001	<0.05
249544		0.11	0.75	0.03	2.94	5	0.9	3.4	0.27	5	<0.1	0.01	0.006	0.006	<0.001	<0.05
249556		0.04	0.12	0.02	0.20	7	<0.5	1.3	0.10	1	<0.1	<0.01	0.010	0.008	<0.001	<0.05
249567		0.17	3.07	0.06	1.92	21	1.0	4.9	0.45	21	<0.1	0.01	0.007	0.009	<0.001	<0.05
249578		0.04	0.20	0.02	0.26	10	0.7	1.4	0.11	2	<0.1	0.01	0.008	0.006	<0.001	<0.05
249591		0.15	1.96	0.06	1.05	33	0.8	5.0	0.50	95	<0.1	0.07	0.013	0.007	<0.001	<0.05
249602		0.01	<0.05	0.03	0.06	8	0.7	0.7	0.06	<1	<0.1	0.02	0.011	0.005	<0.001	<0.05
249614		0.04	0.50	0.02	0.59	6	1.8	1.4	0.09	2	0.4	0.04	0.006	0.005	<0.001	<0.05
249625		0.26	2.97	0.05	1.74	41	0.8	5.5	0.34	37	<0.1	0.04	0.006	0.008	<0.001	<0.05
249636		0.04	0.12	0.04	1.73	6	1.0	1.3	0.07	3	<0.1	0.01	0.012	<0.005	<0.001	<0.05
249648		0.08	0.33	0.04	0.33	11	1.2	3.1	0.29	1	<0.1	0.01	0.008	0.005	<0.001	<0.05
249659		0.14	0.41	0.05	1.04	7	0.8	4.5	0.26	1	0.1	0.01	0.009	<0.005	<0.001	<0.05
249672		0.10	1.04	0.04	2.74	8	1.7	3.1	0.19	12	2.0	0.02	0.008	0.005	<0.001	<0.05
249683		0.08	0.39	0.06	0.53	<5	1.1	3.6	0.31	7	<0.1	0.01	0.008	<0.005	<0.001	<0.05
249694		0.06	0.16	0.04	0.25	27	1.0	2.0	0.14	1	<0.1	0.01	0.011	<0.005	<0.001	<0.05
249706		0.27	2.55	0.25	8.00	10	1.6	11.8	1.48	17	<0.1	0.02	0.011	<0.005	<0.001	<0.05

Comments: Samples were received on 30-Nov-2022 and the SSF/Request on 11-Nov-2022.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 2 - E
 Total # Pages: 4 (A - E)
 Plus Appendix Pages
 Finalized Date: 9-FEB-2023
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: Majoqqap Qaava Drill 2022

CERTIFICATE OF ANALYSIS PI22345063

Sample Description	Method Analyte Units LOD	ME-MS42	ME-MS42	ME-MS42	ME-MS42	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	
		Sc	Se	Te	Tl	Ag	Cd	Co	Cu	Li	Mo	Ni	Pb	Sc	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.2	0.01	0.02	0.5	0.5	1	1	10	1	1	2	1	2
248756		0.7	0.4	<0.01	0.42	0.5	<0.5	10	8	40	<1	68	<2	1	16
248767		0.4	0.3	<0.01	0.02	0.5	<0.5	6	14	30	<1	35	<2	1	13
248778		0.5	0.3	<0.01	0.02	<0.5	<0.5	2	6	50	<1	10	3	<1	6
248791		0.6	0.3	<0.01	0.02	<0.5	<0.5	6	22	60	1	29	3	1	12
248802		0.3	<0.2	<0.01	0.07	<0.5	<0.5	2	4	40	<1	10	<2	1	3
248814		2.7	<0.2	0.01	0.05	<0.5	<0.5	1	9	<10	<1	<1	3	8	23
248825		0.4	0.2	0.01	0.03	<0.5	<0.5	5	4	40	<1	27	<2	<1	10
248836		0.7	0.5	<0.01	0.28	<0.5	<0.5	6	4	30	<1	39	<2	1	16
248847		0.9	0.3	<0.01	0.22	<0.5	<0.5	3	10	40	2	17	3	1	19
248859		0.7	0.4	<0.01	0.27	<0.5	<0.5	7	48	40	<1	34	<2	1	24
248872		0.9	0.2	<0.01	0.07	0.5	<0.5	4	5	60	<1	14	<2	1	10
248883		1.0	<0.2	<0.01	0.07	<0.5	<0.5	3	3	50	<1	13	9	3	9
248894		0.6	0.4	0.01	0.03	<0.5	<0.5	3	18	10	<1	6	<2	<1	8
248906		0.5	0.2	<0.01	<0.02	<0.5	<0.5	4	20	20	2	27	3	1	11
248917		0.6	0.3	<0.01	<0.02	<0.5	<0.5	6	7	20	<1	30	<2	1	10
248928		1.7	<0.2	<0.01	0.17	<0.5	<0.5	7	9	30	<1	23	5	2	28
248941		0.5	0.2	0.01	0.02	0.5	<0.5	3	14	20	<1	8	9	1	22
248952		0.9	0.2	<0.01	0.25	<0.5	<0.5	6	7	40	<1	25	3	1	26
248964		0.4	0.3	<0.01	0.03	<0.5	<0.5	4	9	20	<1	27	<2	1	11
248975		0.8	<0.2	<0.01	0.04	<0.5	<0.5	4	5	20	<1	19	<2	1	13
248986		0.8	<0.2	<0.01	0.02	<0.5	<0.5	3	7	20	<1	12	<2	1	9
248998		1.0	0.2	<0.01	0.02	<0.5	<0.5	4	10	20	<1	18	<2	1	17
249509		1.0	<0.2	<0.01	0.02	<0.5	<0.5	4	20	20	<1	21	<2	1	8
249522		1.5	<0.2	<0.01	0.03	<0.5	<0.5	6	13	30	<1	22	<2	2	17
249533		1.4	0.2	0.01	<0.02	<0.5	<0.5	3	25	10	<1	9	<2	3	12
249544		0.7	<0.2	<0.01	0.02	<0.5	<0.5	2	8	20	<1	11	5	1	8
249556		0.7	0.2	<0.01	0.02	<0.5	<0.5	3	16	40	<1	8	<2	1	7
249567		1.1	<0.2	0.01	0.03	<0.5	<0.5	6	68	40	<1	21	3	2	16
249578		0.9	<0.2	<0.01	0.02	<0.5	<0.5	8	5	30	<1	46	<2	1	16
249591		0.9	0.3	<0.01	0.04	<0.5	<0.5	22	22	30	<1	62	<2	1	5
249602		1.0	<0.2	0.01	<0.02	<0.5	<0.5	6	24	20	<1	15	2	1	20
249614		0.8	<0.2	0.01	0.03	<0.5	<0.5	5	39	30	<1	11	<2	<1	10
249625		1.5	<0.2	0.01	0.05	<0.5	<0.5	13	50	30	<1	30	2	3	21
249636		0.9	<0.2	<0.01	0.02	<0.5	<0.5	4	14	10	<1	11	5	1	14
249648		1.0	<0.2	<0.01	0.02	<0.5	<0.5	3	12	20	<1	14	2	1	13
249659		0.7	<0.2	<0.01	0.03	<0.5	<0.5	3	13	20	1	10	5	1	9
249672		0.8	<0.2	<0.01	0.03	<0.5	<0.5	2	9	20	<1	11	2	1	16
249683		0.6	<0.2	<0.01	0.06	<0.5	<0.5	2	11	10	<1	4	6	1	15
249694		0.7	<0.2	<0.01	0.03	<0.5	<0.5	6	5	20	<1	34	<2	1	43
249706		1.1	0.2	<0.01	0.03	<0.5	<0.5	6	14	20	<1	17	3	3	15

Comments: Samples were received on 30-Nov-2022 and the SSF/Request on 11-Nov-2022.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 3 - A
 Total # Pages: 4 (A - E)
 Plus Appendix Pages
 Finalized Date: 9-FEB-2023
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: Majoqqap Qaava Drill 2022

CERTIFICATE OF ANALYSIS PI22345063

Sample Description	Method Analyte Units LOD	WEI-21	CRU-QC	PUL-QC	OA-ELE04	OA-ELE03	OA-GRA04	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26
		Recvd Wt. kg	Pass2mm %	Pass75um %	Conducti uS/cm	pH Unity	Acid Ins %	Al2O3 %	BaO %	CaO %	Cr2O3 %	Fe2O3 %	K2O %	MgO %	MnO %	Na2O %
		0.02	0.01	0.01	1	0.1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
249717		3.67	65.1	94.7	71	7.7	51.28	32.57	0.02	17.05	<0.01	1.09	0.93	0.38	0.03	1.50
249728		3.48	78.5	91.3	61	7.9	56.37	30.09	0.01	14.35	<0.01	0.91	0.39	0.39	0.02	2.03
249741		4.45			67	8.0	54.93	31.73	0.02	16.80	<0.01	1.23	0.55	0.43	0.04	1.54
249752		4.14			52	8.0	50.99	31.57	0.01	16.30	0.01	1.32	0.22	0.87	0.03	1.62
249764		4.03			53	7.9	53.17	33.11	0.01	16.40	<0.01	0.97	0.51	0.36	0.02	1.68
249775		3.93			51	8.0	52.42	29.05	0.02	18.70	<0.01	1.72	0.84	0.68	0.05	1.17
249786		3.73			51	7.3	52.38	30.40	0.01	14.95	<0.01	1.28	0.43	0.75	0.03	1.94
249798		3.70			50	7.7	49.92	33.94	0.03	15.80	<0.01	0.87	1.14	0.48	0.02	1.70
249809		3.82			49	8.0	50.89	32.34	0.01	16.60	<0.01	0.89	0.38	0.39	0.02	1.66
249822		4.10			58	7.8	60.76	28.57	0.01	13.40	<0.01	1.12	0.35	0.45	0.03	2.55
249833		4.51			56	8.9	63.93	30.53	0.03	16.80	<0.01	1.43	1.79	0.47	0.05	0.82
249844		4.65			47	8.9	51.03	32.24	0.01	16.30	<0.01	1.25	0.27	0.63	0.02	1.66
249856		3.87			76	8.5	55.60	31.21	0.02	13.45	<0.01	1.28	0.31	0.68	0.03	2.46
249867		4.73			46	7.8	55.90	29.79	<0.01	22.4	<0.01	0.67	0.02	0.08	0.03	0.08
249878		4.00			56	8.1	49.77	31.98	0.01	16.20	0.01	1.55	0.36	1.54	0.03	1.54
249891		3.99			75	8.4	53.42	31.82	0.01	16.55	<0.01	1.62	0.17	1.14	0.03	1.71
249902		4.24			69	8.2	52.28	32.39	0.01	17.65	<0.01	1.31	0.33	0.78	0.03	1.52
249914		4.16			49	8.0	51.52	31.93	0.01	16.95	<0.01	1.48	0.59	1.01	0.03	1.44
249925		3.98			54	7.5	50.78	32.48	0.01	16.65	<0.01	0.84	0.16	0.30	0.02	1.68
249936		4.17			62	7.3	60.76	32.58	0.02	16.00	<0.01	1.04	0.74	0.41	0.02	1.74
249948		4.11			52	7.9	52.12	32.41	0.01	16.30	<0.01	0.91	0.32	0.43	0.02	1.68
249959		Not Recvd														
249972		3.99			54	8.0	48.20	33.97	0.01	17.90	<0.01	0.95	0.11	0.30	0.02	1.34
249983		3.49			53	7.6	47.00	33.36	0.01	17.50	<0.01	1.25	0.11	0.73	0.02	1.37
249994		3.94			66	8.0	50.80	32.98	0.01	16.60	<0.01	1.24	0.31	0.72	0.02	1.71
209006		3.88			59	8.0	47.14	33.52	0.01	17.80	<0.01	0.90	0.07	0.30	0.01	1.31
209017		4.16			55	7.8	49.68	33.35	0.01	17.80	<0.01	0.94	0.11	0.37	0.02	1.30
209028		3.42			52	7.9	55.77	31.62	0.01	15.60	<0.01	0.82	0.21	0.28	0.02	2.17
209041		3.84			58	8.0	49.73	32.15	0.01	16.50	<0.01	1.09	0.26	0.56	0.02	1.64
209052		3.78			56	7.5	53.00	31.78	0.01	16.10	<0.01	1.12	0.27	0.55	0.03	1.77
209064		3.82			58	8.2	50.64	31.95	0.01	15.75	<0.01	1.25	0.43	0.66	0.03	2.03
209075		4.09			67	7.7	58.20	30.37	0.02	14.50	<0.01	1.17	0.76	0.44	0.02	2.11
209086		3.90			55	7.9	46.98	32.90	0.01	17.30	0.01	1.14	0.19	0.59	0.02	1.41
209098		3.83			55	8.0	58.01	28.87	0.03	14.00	<0.01	1.23	1.05	0.56	0.02	1.76
209109		3.75			53	8.0	48.50	31.58	0.01	16.10	<0.01	1.32	0.26	0.93	0.03	1.74
209122		3.78			48	7.7	50.74	32.20	0.01	16.80	<0.01	0.89	0.29	0.46	0.03	1.42
209133		3.95			45	8.5	47.58	33.23	0.01	17.20	<0.01	1.03	0.24	0.66	0.02	1.48
209144		4.54			34	8.0	60.39	32.25	0.02	17.45	0.26	1.62	1.24	0.86	0.04	1.08
209156		4.30			30	8.3	60.32	31.05	0.02	11.85	0.10	1.84	1.30	1.25	0.04	1.79
209167		4.43			44	8.5	52.52	33.46	0.02	17.00	<0.01	1.11	0.49	0.55	0.02	1.60

Comments: Samples were received on 30-Nov-2022 and the SSF/Request on 11-Nov-2022.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 3 - B
 Total # Pages: 4 (A - E)
 Plus Appendix Pages
 Finalized Date: 9-FEB-2023
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: Majoqqap Qaava Drill 2022

CERTIFICATE OF ANALYSIS PI22345063

Sample Description	Method Analyte Units LOD	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	OA-GRA05x	ME-XRF26	C-IR07	S-IR08	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		P2O5 %	SiO2 %	SrO %	TiO2 %	LOI 1000 %	Total %	C %	S %	Ba ppm	Ce ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm
249717		<0.01	46.10	0.01	0.02	1.73	101.45	0.02	<0.01	81.9	1.4	13	1.19	0.37	0.13	0.25
249728		<0.01	52.07	0.01	0.02	0.92	101.25	0.02	0.01	41.8	2.5	12	0.85	0.34	0.16	0.21
249741		0.01	47.26	0.01	0.01	1.79	101.50	0.02	0.02	50.8	3.3	12	1.15	0.33	0.19	0.15
249752		<0.01	48.24	0.01	0.03	1.01	101.25	0.04	<0.01	15.7	2.4	39	0.61	0.37	0.19	0.24
249764		<0.01	46.95	0.01	0.01	1.50	101.60	0.01	0.01	50.7	0.8	12	1.36	0.33	0.20	0.20
249775		1.74	44.94	0.01	0.04	2.26	101.30	0.02	0.02	113.5	78.7	17	1.37	14.60	4.43	0.34
249786		0.01	51.05	0.01	0.03	0.69	101.60	0.04	0.01	25.5	5.8	14	1.22	0.78	0.37	0.27
249798		<0.01	46.53	0.01	0.01	1.43	102.00	0.03	<0.01	160.5	1.1	8	1.57	0.12	0.05	0.35
249809		0.01	48.26	0.01	0.01	1.01	101.60	0.01	<0.01	42.2	1.1	6	0.79	0.39	0.19	0.25
249822		0.02	54.08	0.01	0.02	0.95	101.65	0.04	0.03	38.4	5.1	9	0.53	0.80	0.39	0.30
249833		0.03	47.21	0.01	0.06	2.31	101.55	0.02	<0.01	234	11.4	21	1.63	0.38	0.17	0.34
249844		<0.01	47.97	0.01	0.02	1.14	101.55	0.02	0.01	38.8	0.7	13	0.90	0.27	0.15	0.28
249856		0.12	49.47	0.01	0.05	2.15	101.35	0.02	0.02	33.3	4.9	11	1.81	1.15	0.59	0.24
249867		<0.01	45.47	0.01	0.02	2.20	100.80	0.02	<0.01	1.5	1.2	25	0.01	0.23	0.12	0.17
249878		<0.01	47.11	0.01	0.02	1.10	101.50	0.02	0.01	8.9	1.7	45	1.68	0.25	0.14	0.19
249891		<0.01	45.61	0.02	0.02	1.77	100.50	0.03	0.01	8.8	2.0	18	1.31	0.13	0.08	0.23
249902		<0.01	45.88	0.01	0.02	1.71	101.70	0.02	<0.01	26.1	1.1	12	1.27	0.24	0.16	0.26
249914		0.01	46.15	0.02	0.02	1.81	101.45	0.03	<0.01	38.1	1.9	12	2.33	0.18	0.07	0.23
249925		<0.01	48.85	0.01	0.02	0.65	101.70	0.01	<0.01	10.8	2.8	18	0.33	0.41	0.26	0.24
249936		0.01	46.79	0.01	0.03	2.10	101.50	0.01	<0.01	63.4	4.4	11	1.75	0.24	0.09	0.25
249948		0.01	48.07	0.01	0.02	0.95	101.15	0.02	<0.01	33.1	1.1	12	0.63	0.20	0.10	0.22
249959																
249972		<0.01	46.16	0.01	0.02	0.66	101.55	0.02	0.02	8.9	0.5	<5	0.23	0.09	0.04	0.20
249983		<0.01	46.21	0.01	0.02	1.09	101.75	0.03	0.02	7.8	1.8	<5	0.55	0.11	0.06	0.24
249994		<0.01	46.88	0.01	0.03	1.13	101.75	0.02	0.03	19.2	0.7	21	1.25	0.33	0.15	0.23
209006		0.01	46.93	0.01	0.02	0.48	101.40	0.02	0.01	5.0	0.7	26	0.07	0.20	0.08	0.27
209017		<0.01	46.31	0.01	0.02	0.86	101.15	0.03	0.02	11.2	0.5	11	0.44	0.24	0.08	0.17
209028		<0.01	50.59	0.01	0.02	0.40	101.80	0.03	0.01	10.6	1.8	15	0.32	0.19	0.12	0.26
209041		<0.01	48.75	0.01	0.02	0.63	101.70	0.03	0.02	12.9	1.4	20	1.41	0.27	0.11	0.16
209052		0.01	49.17	0.01	0.02	0.84	101.80	0.02	0.04	49.2	2.4	20	0.93	0.17	0.12	0.19
209064		<0.01	49.08	0.01	0.02	0.34	101.65	0.02	0.04	30.0	2.0	25	1.72	0.48	0.21	0.18
209075		0.02	51.00	0.01	0.05	0.96	101.50	0.04	0.01	124.5	25.2	19	1.41	0.31	0.13	0.28
209086		0.01	47.66	0.01	0.02	0.31	101.65	<0.01	0.02	9.6	0.7	34	0.90	0.22	0.09	0.19
209098		0.01	53.90	0.01	0.04	0.27	101.80	0.01	0.02	205	2.7	9	1.22	0.37	0.15	0.21
209109		0.02	47.88	0.01	0.01	0.49	100.45	<0.01	0.03	14.3	1.0	16	2.03	0.19	0.04	0.16
209122		<0.01	48.71	0.01	0.02	0.28	101.15	0.02	<0.01	13.4	2.1	9	1.80	0.27	0.17	0.18
209133		<0.01	47.04	0.01	0.01	0.31	101.25	0.01	<0.01	3.3	0.5	11	1.27	0.08	0.05	0.14
209144		0.01	43.88	0.01	0.03	2.77	101.55	0.02	<0.01	101.5	0.6	1795	1.49	0.13	0.09	0.14
209156		0.01	48.84	0.01	0.04	3.19	101.35	0.02	<0.01	111.0	13.6	719	3.38	0.80	0.32	0.24
209167		<0.01	45.46	0.01	0.02	1.97	101.70	0.02	<0.01	48.4	0.7	23	1.74	0.19	0.10	0.11

Comments: Samples were received on 30-Nov-2022 and the SSF/Request on 11-Nov-2022.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 3 - C
 Total # Pages: 4 (A - E)
 Plus Appendix Pages
 Finalized Date: 9-FEB-2023
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: Majoqqap Qaava Drill 2022

CERTIFICATE OF ANALYSIS PI22345063

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Ga	Gd	Ge	Hf	Ho	La	Lu	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.05	0.5	0.05	0.01	0.1	0.01	0.05	0.1	0.02	0.2	0.03	0.5	0.1	0.1
249717		18.9	0.38	0.9	<0.05	0.07	0.5	0.02	1.34	0.8	0.18	48.9	0.21	0.5	97.7	0.1
249728		20.0	0.39	0.7	0.57	0.05	1.2	0.02	3.67	1.3	0.35	22.4	0.36	0.8	106.5	0.8
249741		22.1	0.38	1.3	0.13	0.06	1.7	0.02	5.21	1.6	0.43	32.5	0.40	1.2	99.6	0.6
249752		21.6	0.39	0.9	0.17	0.07	1.2	0.02	3.95	1.3	0.31	17.8	0.32	1.1	90.6	0.6
249764		20.0	0.24	0.9	<0.05	0.07	0.4	0.03	1.90	0.5	0.13	27.5	0.19	<0.5	101.0	0.2
249775		25.5	20.8	1.2	0.13	2.30	29.2	0.25	9.07	55.6	11.90	64.8	18.00	2.2	125.0	0.8
249786		23.3	0.86	1.2	0.34	0.14	2.9	0.04	7.21	2.8	0.72	34.6	1.03	0.9	80.8	1.0
249798		20.9	0.12	0.7	<0.05	0.02	0.5	0.01	0.57	0.5	0.16	59.2	0.16	<0.5	99.7	<0.1
249809		20.9	0.29	0.9	0.11	0.07	0.5	0.03	3.83	0.5	0.11	21.1	0.23	0.8	89.3	0.6
249822		22.7	0.83	1.4	0.83	0.14	2.7	0.06	8.83	2.5	0.62	22.0	0.78	0.9	88.9	1.7
249833		21.9	0.53	1.1	1.18	0.08	6.6	0.02	3.75	4.7	1.19	83.2	0.62	0.6	117.0	0.7
249844		19.4	0.23	0.8	0.08	0.04	0.3	0.01	1.92	0.3	0.10	11.3	0.16	<0.5	99.1	0.2
249856		21.2	1.34	1.0	0.29	0.19	2.2	0.07	5.66	2.7	0.62	19.4	1.18	0.6	104.5	0.9
249867		24.1	0.26	1.0	0.05	0.04	0.6	0.01	2.69	0.6	0.15	0.7	0.23	<0.5	124.5	0.3
249878		20.6	0.34	1.1	0.12	0.05	0.7	0.03	3.56	1.0	0.22	55.3	0.30	0.7	90.4	0.7
249891		21.0	0.17	1.0	<0.05	0.02	1.1	0.01	2.24	0.7	0.21	15.6	0.09	0.7	150.5	0.4
249902		21.3	0.20	1.0	0.07	0.04	0.5	0.02	1.46	0.6	0.19	22.2	0.19	0.6	148.5	0.3
249914		20.9	0.20	1.1	0.09	0.03	0.9	0.01	1.76	0.9	0.26	42.0	0.29	0.5	154.5	0.3
249925		21.3	0.43	1.0	<0.05	0.08	1.4	0.04	1.66	1.4	0.33	7.6	0.42	<0.5	90.6	0.2
249936		20.5	0.33	1.0	0.25	0.04	2.2	0.01	1.74	1.7	0.50	42.6	0.52	0.5	115.5	0.2
249948		20.3	0.18	0.9	<0.05	0.04	0.6	0.01	1.16	0.6	0.16	15.8	0.27	<0.5	89.9	0.2
249959																
249972		20.0	0.14	0.9	<0.05	0.02	0.2	0.01	0.75	0.3	0.05	4.4	0.06	0.5	93.2	0.1
249983		20.8	0.13	1.1	<0.05	0.03	0.8	<0.01	1.30	1.0	0.24	5.2	0.11	<0.5	100.5	0.1
249994		21.4	0.21	0.6	0.05	0.07	0.3	0.02	3.20	0.5	0.12	18.6	0.17	<0.5	98.7	0.5
209006		20.4	0.17	0.6	<0.05	0.05	0.3	0.01	0.84	0.5	0.09	1.3	0.24	0.6	88.3	0.2
209017		21.1	0.17	0.6	<0.05	0.05	0.2	0.02	2.04	0.5	0.05	5.9	0.14	0.6	87.4	0.1
209028		21.6	0.29	0.7	0.07	0.04	0.8	0.02	2.83	0.9	0.19	15.2	0.37	0.6	78.6	0.3
209041		21.5	0.27	0.6	<0.05	0.05	0.6	0.02	2.64	0.8	0.16	24.3	0.23	0.6	82.0	0.5
209052		20.7	0.29	0.7	<0.05	0.04	1.1	0.01	2.21	1.1	0.32	26.8	0.27	1.2	102.5	0.5
209064		23.8	0.29	0.8	0.25	0.10	0.9	0.02	4.27	0.7	0.22	37.6	0.37	0.9	84.1	0.8
209075		20.7	0.60	0.5	0.95	0.05	12.6	0.02	2.40	8.0	2.50	44.1	1.17	0.6	114.0	0.4
209086		19.3	0.15	0.5	0.08	0.04	0.3	0.02	1.45	0.5	0.09	13.0	0.11	0.6	78.3	0.5
209098		20.0	0.27	0.6	0.30	0.07	1.4	0.02	3.51	0.9	0.29	43.6	0.32	0.7	85.5	0.5
209109		21.9	0.21	0.7	<0.05	0.04	0.4	0.02	4.46	0.6	0.15	38.7	0.31	0.7	79.0	1.5
209122		20.3	0.29	0.6	0.11	0.05	0.9	0.03	2.71	1.1	0.26	24.3	0.36	0.5	73.4	0.5
209133		21.0	0.10	0.7	0.12	0.03	0.3	0.02	0.84	0.2	0.10	19.8	0.06	0.6	74.4	0.2
209144		21.6	0.19	0.8	<0.05	0.02	0.3	0.02	2.81	0.3	0.11	82.5	0.11	0.7	108.5	0.7
209156		19.2	0.70	0.7	0.37	0.15	5.7	0.06	5.39	5.9	1.46	82.9	0.77	1.0	100.0	0.7
209167		19.1	0.18	<0.5	0.11	0.04	0.3	0.03	1.00	0.5	0.12	35.4	0.20	<0.5	94.4	0.2

Comments: Samples were received on 30-Nov-2022 and the SSF/Request on 11-Nov-2022.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 3 - D
 Total # Pages: 4 (A - E)
 Plus Appendix Pages
 Finalized Date: 9-FEB-2023
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: Majoqqap Qaava Drill 2022

CERTIFICATE OF ANALYSIS PI22345063

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS42	ME-MS42	ME-MS42	ME-MS42	ME-MS42	
		Tb	Th	Tm	U	V	W	Y	Yb	Zr	As	Bi	Hg	In	Re	Sb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.05	0.01	0.05	5	0.5	0.1	0.03	1	0.1	0.01	0.005	0.005	0.001	0.05
249717		0.05	0.19	0.02	0.21	8	1.0	1.7	0.08	<1	0.1	0.02	0.008	<0.005	<0.001	<0.05
249728		0.04	0.58	0.02	2.16	6	0.7	1.7	0.20	15	1.1	0.01	0.007	<0.005	<0.001	<0.05
249741		0.07	0.62	0.06	2.20	5	1.1	2.3	0.22	1	<0.1	0.01	0.011	<0.005	<0.001	<0.05
249752		0.06	0.24	0.05	0.73	9	0.9	2.2	0.17	2	<0.1	0.01	0.007	<0.005	<0.001	<0.05
249764		0.05	0.13	0.07	0.45	5	0.8	2.3	0.21	<1	<0.1	0.01	0.009	<0.005	<0.001	<0.05
249775		3.12	7.57	0.51	9.26	10	1.8	69.3	2.18	1	0.1	0.24	0.009	0.009	<0.001	0.05
249786		0.16	1.80	0.11	2.29	8	2.1	4.5	0.40	4	<0.1	0.01	0.012	0.006	<0.001	<0.05
249798		0.02	0.05	0.05	0.08	7	1.3	0.7	0.04	<1	<0.1	0.01	0.011	<0.005	<0.001	<0.05
249809		0.06	0.73	0.07	1.94	5	1.2	2.7	0.25	2	<0.1	0.01	0.008	<0.005	<0.001	<0.05
249822		0.14	1.19	0.09	3.71	6	1.1	4.9	0.43	10	<0.1	0.01	0.008	<0.005	<0.001	<0.05
249833		0.09	1.48	0.05	0.65	7	1.2	2.1	0.17	40	0.1	0.04	0.006	<0.005	<0.001	<0.05
249844		0.04	0.14	0.05	0.23	6	0.8	1.5	0.10	1	<0.1	0.02	0.009	<0.005	<0.001	<0.05
249856		0.24	0.64	0.09	1.37	9	0.7	6.8	0.38	3	<0.1	0.02	0.008	<0.005	<0.001	<0.05
249867		0.06	0.31	0.04	1.03	11	0.9	1.7	0.13	<1	0.1	0.02	0.007	<0.005	<0.001	<0.05
249878		0.06	0.11	0.05	0.20	7	8.9	1.9	0.10	1	<0.1	<0.01	0.008	<0.005	<0.001	<0.05
249891		0.02	<0.05	0.04	0.12	9	1.2	0.8	0.06	<1	0.5	0.01	0.009	0.005	<0.001	<0.05
249902		0.04	0.40	0.05	0.36	8	1.2	1.6	0.17	<1	0.4	0.01	0.010	<0.005	<0.001	<0.05
249914		0.04	0.10	0.03	0.26	8	1.0	1.2	0.07	2	0.4	0.01	0.015	<0.005	<0.001	<0.05
249925		0.07	0.45	0.07	0.38	8	1.2	2.5	0.26	<1	<0.1	0.02	0.010	<0.005	<0.001	<0.05
249936		0.05	0.53	0.03	0.32	8	0.8	1.2	0.10	8	<0.1	0.01	0.011	<0.005	<0.001	<0.05
249948		0.03	0.06	0.03	0.31	7	6.2	1.2	0.11	<1	0.1	0.02	0.010	<0.005	<0.001	<0.05
249959																
249972		0.01	<0.05	0.03	0.07	7	0.9	0.6	0.06	<1	<0.1	0.02	0.011	<0.005	<0.001	<0.05
249983		0.02	0.36	0.03	0.13	7	0.9	0.6	0.06	1	0.5	0.02	0.008	<0.005	<0.001	<0.05
249994		0.06	0.19	0.02	0.27	12	1.2	1.9	0.13	<1	<0.1	0.02	0.006	<0.005	<0.001	<0.05
209006		0.02	0.07	0.01	0.17	10	1.3	1.0	0.07	<1	<0.1	0.01	0.013	<0.005	<0.001	<0.05
209017		0.04	0.17	0.02	0.41	8	1.3	1.1	0.10	1	<0.1	0.03	0.013	<0.005	<0.001	<0.05
209028		0.04	0.26	0.01	0.42	8	1.2	1.3	0.08	<1	0.2	0.01	0.011	<0.005	<0.001	<0.05
209041		0.04	0.77	0.02	1.54	8	1.1	1.7	0.16	<1	<0.1	0.02	0.010	<0.005	<0.001	<0.05
209052		0.03	0.07	0.01	0.36	7	1.2	1.3	0.04	<1	<0.1	0.04	0.010	<0.005	<0.001	<0.05
209064		0.09	0.87	0.03	1.48	8	2.0	2.8	0.23	5	<0.1	0.03	0.008	<0.005	<0.001	<0.05
209075		0.07	3.46	0.02	0.58	8	3.3	1.8	0.14	30	<0.1	0.01	0.011	<0.005	<0.001	<0.05
209086		0.02	0.54	0.01	0.79	10	1.1	1.1	0.10	<1	<0.1	0.03	0.008	<0.005	<0.001	<0.05
209098		0.06	0.43	0.02	0.96	9	1.6	2.0	0.16	8	<0.1	0.03	0.009	<0.005	<0.001	<0.05
209109		0.04	0.36	0.01	0.72	7	1.2	1.2	0.12	<1	0.6	0.01	0.007	<0.005	<0.001	<0.05
209122		0.05	0.60	0.02	0.34	7	1.1	1.9	0.17	3	<0.1	0.02	0.011	<0.005	<0.001	<0.05
209133		0.02	0.10	<0.01	0.25	5	1.0	0.6	0.05	<1	<0.1	0.01	0.010	<0.005	<0.001	<0.05
209144		0.02	0.23	0.01	0.59	36	1.4	0.8	0.11	<1	0.3	0.01	0.009	<0.005	<0.001	<0.05
209156		0.14	2.00	0.04	3.72	21	1.2	4.7	0.34	4	0.1	0.02	0.011	<0.005	<0.001	<0.05
209167		0.03	0.20	0.01	0.77	8	1.5	1.2	0.10	2	0.2	0.02	0.007	<0.005	<0.001	<0.05

Comments: Samples were received on 30-Nov-2022 and the SSF/Request on 11-Nov-2022.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 3 - E
 Total # Pages: 4 (A - E)
 Plus Appendix Pages
 Finalized Date: 9-FEB-2023
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: Majoqqap Qaava Drill 2022

CERTIFICATE OF ANALYSIS PI22345063

Sample Description	Method Analyte Units LOD	ME-MS42	ME-MS42	ME-MS42	ME-MS42	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	
		Sc	Se	Te	Tl	Ag	Cd	Co	Cu	Li	Mo	Ni	Pb	Sc	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.2	0.01	0.02	0.5	0.5	1	1	10	1	1	2	1	2
249717		0.7	<0.2	0.01	0.03	<0.5	<0.5	3	7	30	<1	12	<2	1	9
249728		0.8	<0.2	<0.01	0.02	<0.5	<0.5	3	24	20	<1	9	<2	1	9
249741		0.6	<0.2	<0.01	0.03	<0.5	<0.5	4	9	30	<1	19	3	1	10
249752		1.0	<0.2	<0.01	0.02	<0.5	<0.5	5	6	20	<1	30	<2	2	15
249764		0.7	<0.2	<0.01	0.02	<0.5	<0.5	3	11	30	<1	10	<2	1	10
249775		1.3	<0.2	0.01	0.05	0.5	<0.5	4	15	20	<1	20	6	1	39
249786		1.4	<0.2	<0.01	0.16	0.5	<0.5	5	7	30	<1	20	3	2	25
249798		0.8	<0.2	0.01	0.03	<0.5	<0.5	3	3	30	<1	8	<2	1	4
249809		0.8	<0.2	<0.01	0.02	<0.5	<0.5	1	5	20	<1	12	2	1	8
249822		0.9	0.2	0.01	0.02	<0.5	<0.5	3	30	10	<1	10	4	1	22
249833		0.7	<0.2	0.01	0.05	0.5	<0.5	3	7	10	<1	9	<2	1	7
249844		0.9	<0.2	<0.01	0.02	<0.5	<0.5	5	17	20	<1	19	<2	1	11
249856		1.0	<0.2	<0.01	0.04	<0.5	<0.5	5	15	30	<1	9	<2	2	16
249867		1.3	<0.2	<0.01	0.02	<0.5	<0.5	3	4	<10	<1	10	2	1	<2
249878		1.2	<0.2	<0.01	0.09	0.5	<0.5	9	7	40	<1	55	<2	1	17
249891		0.8	<0.2	<0.01	0.02	<0.5	<0.5	6	5	40	<1	36	<2	1	17
249902		0.9	<0.2	<0.01	0.03	<0.5	<0.5	6	7	30	<1	22	<2	1	8
249914		0.8	<0.2	<0.01	0.04	<0.5	<0.5	7	7	30	<1	34	<2	1	12
249925		0.9	0.2	<0.01	<0.02	<0.5	<0.5	3	8	20	<1	5	<2	3	8
249936		0.7	<0.2	<0.01	0.03	<0.5	<0.5	3	10	80	<1	11	<2	1	6
249948		1.0	<0.2	<0.01	0.02	0.5	<0.5	3	7	40	<1	12	<2	2	6
249959															
249972		1.1	0.2	<0.01	<0.02	<0.5	<0.5	3	24	20	<1	17	<2	2	5
249983		1.2	0.2	<0.01	<0.02	<0.5	<0.5	5	12	40	<1	24	<2	2	7
249994		0.9	0.2	0.01	0.02	<0.5	<0.5	6	11	40	<1	19	<2	2	10
209006		1.3	<0.2	<0.01	<0.02	0.5	<0.5	2	15	20	<1	6	<2	1	5
209017		1.2	<0.2	0.01	0.05	<0.5	<0.5	3	16	20	<1	12	<2	2	2
209028		1.2	<0.2	<0.01	0.06	<0.5	<0.5	2	11	30	<1	6	<2	1	8
209041		1.1	0.2	0.01	0.12	<0.5	<0.5	4	21	20	4	12	<2	2	13
209052		1.2	0.2	0.01	0.07	<0.5	<0.5	5	33	30	<1	15	<2	1	11
209064		1.4	0.2	0.01	0.23	<0.5	<0.5	4	32	40	<1	19	2	1	20
209075		0.9	<0.2	0.01	0.07	<0.5	<0.5	4	20	30	<1	11	2	2	15
209086		1.3	<0.2	0.01	0.08	<0.5	<0.5	4	21	20	<1	16	<2	2	13
209098		1.3	<0.2	<0.01	0.17	<0.5	<0.5	4	11	30	<1	18	3	2	15
209109		1.0	<0.2	<0.01	0.28	<0.5	<0.5	6	19	30	<1	29	3	2	16
209122		1.5	<0.2	0.01	0.13	<0.5	<0.5	2	1	20	<1	12	<2	1	5
209133		1.1	<0.2	0.01	0.13	<0.5	<0.5	4	3	20	<1	17	<2	1	5
209144		0.6	<0.2	<0.01	0.03	<0.5	<0.5	5	1	30	<1	31	<2	1	33
209156		0.7	<0.2	<0.01	0.03	<0.5	<0.5	7	3	60	<1	51	<2	2	74
209167		0.8	<0.2	<0.01	0.02	<0.5	<0.5	2	1	50	<1	15	<2	2	7

Comments: Samples were received on 30-Nov-2022 and the SSF/Request on 11-Nov-2022.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 4 - A
 Total # Pages: 4 (A - E)
 Plus Appendix Pages
 Finalized Date: 9-FEB-2023
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: Majoqqap Qaava Drill 2022

CERTIFICATE OF ANALYSIS PI22345063

Sample Description	Method Analyte Units LOD	WEI-21	CRU-QC	PUL-QC	OA-ELE04	OA-ELE03	OA-GRA04	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26
		Recvd Wt. kg	Pass2mm %	Pass75um %	Conducti uS/cm	pH Unity	Acid Ins %	Al2O3 %	BaO %	CaO %	Cr2O3 %	Fe2O3 %	K2O %	MgO %	MnO %	Na2O %
		0.02	0.01	0.01	1	0.1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
209178		4.49	77.4	90.7	43	7.6	53.55	30.89	0.01	16.85	<0.01	1.89	0.40	0.97	0.04	1.16
209191		4.36		92.0	47	8.0	52.22	33.63	0.01	17.15	<0.01	0.98	0.17	0.52	0.02	1.58
209202		4.06			67	8.9	48.95	30.08	0.01	15.90	<0.01	3.20	0.72	3.88	0.04	1.24
209214		3.58			75	8.5	74.04	21.96	0.01	8.56	<0.01	1.80	0.92	1.27	0.04	3.06
209225		3.90			59	8.2	52.61	30.74	0.02	15.20	<0.01	1.41	0.53	0.77	0.03	1.84
209236		3.85			59	7.6	47.12	32.35	0.01	16.90	<0.01	1.32	0.23	0.77	0.02	1.51
209248		3.94			59	7.4	47.13	33.00	0.01	16.90	<0.01	1.09	0.27	0.54	0.02	1.64
209259		4.73			55	8.5	47.28	32.64	0.01	17.25	<0.01	1.59	0.27	1.02	0.02	1.36
209272		3.80			55	8.6	48.65	32.17	0.01	16.65	<0.01	1.15	0.24	0.57	0.02	1.50
209283		4.05			65	7.8	61.50	31.35	0.01	18.60	<0.01	1.68	0.46	0.83	0.04	1.28
209294		3.55			54	8.1	49.53	33.29	0.01	16.90	<0.01	0.78	0.16	0.27	0.01	1.63
209306		3.74			62	8.0	53.82	31.92	0.01	17.05	<0.01	0.94	0.50	0.28	0.02	1.54
209317		4.27			63	7.2	53.48	32.38	0.03	16.00	<0.01	0.95	0.67	0.47	0.02	1.73
209328		3.88			61	7.8	51.18	32.88	0.01	16.35	<0.01	0.91	0.21	0.37	0.02	1.70

Comments: Samples were received on 30-Nov-2022 and the SSF/Request on 11-Nov-2022.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 4 - B
 Total # Pages: 4 (A - E)
 Plus Appendix Pages
 Finalized Date: 9-FEB-2023
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: Majoqqap Qaava Drill 2022

CERTIFICATE OF ANALYSIS PI22345063

Sample Description	Method Analyte Units LOD	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	OA-GRA05x	ME-XRF26	C-IR07	S-IR08	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		P2O5	SiO2	SrO	TiO2	LOI 1000	Total	C	S	Ba	Ce	Cr	Cs	Dy	Er	Eu
		%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.5	0.1	5	0.01	0.05	0.03	0.02
209178		0.01	46.74	0.01	0.03	2.46	101.50	<0.01	<0.01	46.2	66.1	17	0.56	0.86	0.40	0.76
209191		<0.01	46.85	0.01	0.02	0.82	101.80	<0.01	0.01	40.2	0.7	29	0.39	0.11	0.06	0.16
209202		<0.01	45.57	0.01	0.03	0.68	101.40	<0.01	<0.01	16.1	0.8	29	6.09	0.24	0.09	0.15
209214		<0.01	62.68	0.01	0.05	0.44	100.85	0.01	<0.01	51.0	10.2	20	1.99	0.76	0.63	0.17
209225		0.02	50.13	0.01	0.07	0.41	101.20	0.04	<0.01	86.4	29.9	13	1.09	0.73	0.28	0.18
209236		0.01	46.96	0.01	0.02	0.43	100.60	0.01	0.01	15.7	2.2	13	1.16	0.37	0.17	0.20
209248		0.01	47.50	0.01	0.02	0.40	101.50	0.03	0.02	21.8	2.2	17	1.18	0.30	0.16	0.25
209259		0.01	46.62	0.01	0.03	0.36	101.25	0.02	0.02	12.6	2.5	21	1.72	0.27	0.14	0.14
209272		0.01	48.49	0.01	0.02	0.38	101.25	0.01	0.01	16.9	1.9	19	0.77	0.16	0.07	0.21
209283		0.01	44.69	0.01	0.01	2.55	101.55	0.06	<0.01	33.9	0.8	16	0.97	0.12	<0.03	0.21
209294		0.01	47.12	0.01	0.02	0.59	100.85	0.02	<0.01	21.9	3.0	11	0.57	0.33	0.14	0.18
209306		<0.01	47.79	0.01	0.01	1.16	101.35	0.05	0.03	52.0	0.9	24	1.10	0.24	0.13	0.19
209317		<0.01	48.60	0.01	0.02	1.05	101.95	0.01	<0.01	68.2	2.5	9	1.07	0.31	0.11	0.21
209328		<0.01	47.14	0.01	0.01	0.96	100.60	0.05	0.01	16.4	1.1	8	0.97	0.16	0.07	0.18

Comments: Samples were received on 30-Nov-2022 and the SSF/Request on 11-Nov-2022.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 4 - C
 Total # Pages: 4 (A - E)
 Plus Appendix Pages
 Finalized Date: 9-FEB-2023
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: Majoqqap Qaava Drill 2022

CERTIFICATE OF ANALYSIS PI22345063

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Ga	Gd	Ge	Hf	Ho	La	Lu	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.05	0.5	0.05	0.01	0.1	0.01	0.05	0.1	0.02	0.2	0.03	0.5	0.1	0.1
209178		26.4	1.46	1.1	<0.05	0.16	26.8	0.07	3.09	25.2	7.50	20.7	3.31	2.3	124.5	0.5
209191		20.1	0.05	0.6	<0.05	0.04	0.3	0.01	1.06	0.5	0.12	10.6	0.12	0.7	86.7	0.2
209202		18.6	0.16	0.5	<0.05	0.04	0.3	0.02	0.94	0.5	0.10	57.2	0.14	<0.5	71.7	0.2
209214		22.7	0.65	1.1	4.82	0.20	5.1	0.16	4.46	3.8	1.18	52.2	0.69	0.6	73.8	0.2
209225		21.9	1.20	0.7	1.20	0.16	14.1	0.04	5.29	10.2	3.06	39.7	1.86	0.9	85.3	0.5
209236		22.1	0.31	0.7	0.36	0.07	1.0	0.03	2.15	1.3	0.30	12.0	0.37	0.7	78.9	0.3
209248		21.6	0.24	0.5	<0.05	0.07	1.0	0.02	2.32	1.0	0.28	19.2	0.21	0.6	77.3	0.3
209259		20.1	0.24	0.7	0.15	0.05	1.1	0.02	1.30	1.3	0.29	24.8	0.21	<0.5	79.3	0.2
209272		21.3	0.27	0.9	<0.05	0.04	0.9	0.02	1.71	0.8	0.22	15.2	0.29	0.5	75.5	0.3
209283		21.1	0.13	1.0	<0.05	0.01	0.2	0.01	0.45	0.4	0.12	32.1	0.10	<0.5	101.0	0.1
209294		19.1	0.41	0.6	<0.05	0.04	1.2	0.02	1.14	1.4	0.37	7.5	0.37	<0.5	104.5	0.1
209306		20.2	0.26	0.8	<0.05	0.04	0.3	0.01	1.24	0.6	0.13	34.2	0.19	0.5	107.5	0.2
209317		19.1	0.33	0.8	<0.05	0.05	1.2	0.02	2.51	1.2	0.31	38.6	0.30	<0.5	98.0	0.4
209328		20.5	0.19	0.8	<0.05	0.01	0.4	0.01	2.13	0.6	0.15	14.6	0.13	<0.5	97.2	0.2

Comments: Samples were received on 30-Nov-2022 and the SSF/Request on 11-Nov-2022.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 4 - D
 Total # Pages: 4 (A - E)
 Plus Appendix Pages
 Finalized Date: 9-FEB-2023
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: Majoqqap Qaava Drill 2022

CERTIFICATE OF ANALYSIS PI22345063

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS42	ME-MS42	ME-MS42	ME-MS42	ME-MS42	
		Tb	Th	Tm	U	V	W	Y	Yb	Zr	As	Bi	Hg	In	Re	Sb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.05	0.01	0.05	5	0.5	0.1	0.03	1	0.1	0.01	0.005	0.005	0.001	0.05
209178		0.17	0.86	0.03	0.77	20	1.2	4.9	0.32	<1	<0.1	0.19	0.006	0.006	<0.001	<0.05
209191		0.02	0.11	0.02	0.18	8	1.4	0.9	0.13	<1	2.8	0.03	0.006	<0.005	<0.001	<0.05
209202		0.03	0.10	0.03	0.20	11	1.2	1.4	0.11	1	0.7	0.03	0.008	<0.005	<0.001	<0.05
209214		0.12	1.44	0.09	10.50	7	1.5	5.4	1.02	94	1.4	0.01	<0.005	0.011	<0.001	<0.05
209225		0.17	4.47	0.04	0.76	9	1.7	4.1	0.37	48	<0.1	0.01	0.007	0.011	<0.001	<0.05
209236		0.05	1.02	0.02	0.90	8	1.5	2.2	0.21	9	<0.1	0.02	0.007	<0.005	<0.001	<0.05
209248		0.04	0.32	0.01	1.35	7	1.5	1.8	0.15	<1	<0.1	0.02	0.010	<0.005	<0.001	<0.05
209259		0.03	0.53	0.02	0.38	14	1.1	1.6	0.09	4	0.5	0.02	0.009	<0.005	<0.001	<0.05
209272		0.03	0.27	0.02	0.20	8	<0.5	1.5	0.08	<1	<0.1	0.01	0.007	<0.005	<0.001	<0.05
209283		0.02	<0.05	0.01	0.29	6	<0.5	0.6	0.05	<1	0.5	0.01	0.011	<0.005	<0.001	<0.05
209294		0.05	0.74	0.02	0.39	6	<0.5	2.1	0.13	<1	<0.1	0.02	0.013	<0.005	<0.001	<0.05
209306		0.05	0.56	0.03	2.68	5	<0.5	1.4	0.13	<1	<0.1	0.03	0.013	<0.005	<0.001	<0.05
209317		0.06	0.32	0.03	0.75	6	<0.5	1.8	0.15	<1	0.1	0.01	0.007	<0.005	0.001	0.06
209328		0.04	0.15	0.03	0.77	6	0.8	0.9	0.05	<1	0.1	0.01	0.007	<0.005	<0.001	<0.05

Comments: Samples were received on 30-Nov-2022 and the SSF/Request on 11-Nov-2022.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry

To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: 4 - E
 Total # Pages: 4 (A - E)
 Plus Appendix Pages
 Finalized Date: 9-FEB-2023
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: Majoqqap Qaava Drill 2022

CERTIFICATE OF ANALYSIS PI22345063

Sample Description	Method Analyte Units LOD	ME-MS42	ME-MS42	ME-MS42	ME-MS42	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	
		Sc	Se	Te	Tl	Ag	Cd	Co	Cu	Li	Mo	Ni	Pb	Sc	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.2	0.01	0.02	0.5	0.5	1	1	10	1	1	2	1	2
209178		0.9	<0.2	0.01	0.02	<0.5	<0.5	5	28	40	1	24	2	2	18
209191		1.0	<0.2	0.01	<0.02	<0.5	<0.5	3	49	20	<1	13	2	2	12
209202		1.3	<0.2	<0.01	0.38	<0.5	<0.5	21	2	40	<1	160	<2	2	17
209214		2.0	<0.2	0.01	0.42	<0.5	<0.5	6	3	60	<1	44	12	3	23
209225		2.0	<0.2	0.01	0.25	<0.5	<0.5	5	3	30	<1	21	3	2	21
209236		1.3	0.2	0.01	0.08	<0.5	<0.5	5	10	20	2	22	<2	1	14
209248		1.5	0.2	0.01	0.14	<0.5	<0.5	3	20	30	<1	15	<2	2	12
209259		1.5	<0.2	<0.01	0.16	<0.5	<0.5	7	14	20	<1	29	<2	2	14
209272		1.5	<0.2	0.01	0.11	<0.5	<0.5	3	10	30	<1	14	<2	1	14
209283		1.2	<0.2	<0.01	0.03	<0.5	<0.5	5	3	20	<1	27	<2	1	9
209294		0.9	0.2	0.01	<0.02	<0.5	<0.5	2	13	10	<1	6	<2	1	18
209306		0.9	<0.2	0.01	0.03	<0.5	<0.5	3	8	10	1	8	<2	1	6
209317		0.5	<0.2	<0.01	0.03	<0.5	<0.5	2	5	10	<1	9	<2	2	9
209328		0.4	<0.2	0.01	<0.02	<0.5	<0.5	3	17	10	<1	9	<2	1	6

Comments: Samples were received on 30-Nov-2022 and the SSF/Request on 11-Nov-2022.

***** See Appendix Page for comments regarding this certificate *****



ALS Scandinavia AB
 Hammarvagen 22
 SE-943 36, Ojebyn
 www.alsglobal.com/geochemistry


To: GREENLAND ANORTHOSITE MINING APS
 ROEDSBAEKVEJ 11
 MESINGE 5370
 DENMARK

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 9-FEB-2023
 Account: GETERG

An INAB accredited testing laboratory Reg. No. 173T. Accredited methods are listed in the Scope of Accreditation available on request.

Project: Majoqqap Qaava Drill 2022

CERTIFICATE OF ANALYSIS PI22345063

	CERTIFICATE COMMENTS																																				
Applies to Method:	<p style="text-align: center;">ACCREDITATION COMMENTS</p> <p>The methods immediately below this line are ISO 17025:2017 Accredited. INAB Registration No: 173T</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">C-IR07</td> <td style="width: 33%;">ME-MS81</td> <td style="width: 33%;">ME-XRF26</td> <td style="width: 15%; text-align: right;">S-IR08</td> </tr> </table> <div style="text-align: center; margin: 10px 0;">  </div> <p style="text-align: center;">LABORATORY ADDRESSES</p> <table style="width: 100%; border: none;"> <tr> <td colspan="4" style="text-align: center;">Processed at ALS Pitea located at Hammarvagen 22, SE-943 36, Ojebyn, Sweden.</td> </tr> <tr> <td style="width: 33%;">Applies to Method:</td> <td style="width: 33%;">CRU-31</td> <td style="width: 33%;">CRU-QC</td> <td style="width: 15%; text-align: right;">LOG-22</td> </tr> <tr> <td></td> <td>PUL-QC</td> <td>SPL-22Y</td> <td style="text-align: right;">WEI-21</td> </tr> <tr> <td colspan="4" style="text-align: center;">Processed at ALS Loughrea located at Dublin Road, Loughrea, Co. Galway, Ireland.</td> </tr> <tr> <td style="vertical-align: top; padding: 10px;">Applies to Method:</td> <td style="padding: 10px;">C-IR07</td> <td style="padding: 10px;">ME-4ACD81</td> <td style="padding: 10px;">ME-MS42</td> </tr> <tr> <td></td> <td>ME-XRF26</td> <td>OA-GRA05x</td> <td style="text-align: right;">S-IR08</td> </tr> <tr> <td colspan="4" style="text-align: center;">Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</td> </tr> <tr> <td style="vertical-align: top; padding: 10px;">Applies to Method:</td> <td style="padding: 10px;">OA-ELE03</td> <td style="padding: 10px;">OA-ELE04</td> <td style="padding: 10px;">OA-GRA04</td> </tr> </table>	C-IR07	ME-MS81	ME-XRF26	S-IR08	Processed at ALS Pitea located at Hammarvagen 22, SE-943 36, Ojebyn, Sweden.				Applies to Method:	CRU-31	CRU-QC	LOG-22		PUL-QC	SPL-22Y	WEI-21	Processed at ALS Loughrea located at Dublin Road, Loughrea, Co. Galway, Ireland.				Applies to Method:	C-IR07	ME-4ACD81	ME-MS42		ME-XRF26	OA-GRA05x	S-IR08	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.				Applies to Method:	OA-ELE03	OA-ELE04	OA-GRA04
C-IR07	ME-MS81	ME-XRF26	S-IR08																																		
Processed at ALS Pitea located at Hammarvagen 22, SE-943 36, Ojebyn, Sweden.																																					
Applies to Method:	CRU-31	CRU-QC	LOG-22																																		
	PUL-QC	SPL-22Y	WEI-21																																		
Processed at ALS Loughrea located at Dublin Road, Loughrea, Co. Galway, Ireland.																																					
Applies to Method:	C-IR07	ME-4ACD81	ME-MS42																																		
	ME-XRF26	OA-GRA05x	S-IR08																																		
Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.																																					
Applies to Method:	OA-ELE03	OA-ELE04	OA-GRA04																																		